TM 11-5815-334-35P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

DS, GS, AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOL LISTS

RADIO TELETYPEWRITER SETS

AN/GRC-142 AND AN/GRC-122



HEADQUARTERS, DEPARTMENT OF THE ARMY
DECEMBER 1967

TAGO 8067A

TECHNICAL MANUAL
No. 11-5815-334-35P

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., *21 December 1967*

DS, GS, and Depot Maintenance Repair

Parts and Special Tool Lists

RADIO TELETYPEWRITER SETS AN/GRC-142 AND AN/GRC-122

		Paragraph	Page
SECTION I.	INTRODUCTION		
	Scope	1	1
	General	2	1
	Explanation of columns	3	1
	Reference publications	4	3
	Location of repair parts	5	5
	Federal supply codes	6	5
	Indexes of publications	7	6
	Reporting of equipment publication improvements	8	6
II.	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE	--	7
III.	FEDERAL STOCK NUMBER CROSS-REFERENCE TO INDEX NUMBER	--	64
IV.	REFERENCE DESIGNATION CROSS-REFERENCE TO INDEX NUMBER	--	71

SECTION I

INTRODUCTION

1. Scope

This manual contains a list of repair parts required for the performance of direct support, general support, and depot maintenance for Radio Teletypewriter Set AN/GRC-142.

Note. No special tools, test, and support equipment are required.

2. General

Note. The Radio Teletypewriter Sets AN/GRC-142 and AN/GRC-122 employ the same components. The following may be used for maintenance requirements of the Radio Teletypewriter Set AN/GRC-122.

This repair parts list is divided into the following sections:

a. Repair parts for Direct Support, General Support, and Depot Maintenance, Section II. Repair parts authorized for direct support, general support, and depot maintenance are included in this section.

Note. All indexes noted below are cross referenced to index numbers. The index numbers appear in ascending sequence in column 1 of the repair parts list (para 3*a*). The index number for the particular item will be the same for the item in all sections of this publication.

b. Federal Stock Number Cross-Reference to Index Number, Section III. This is a cross-reference index of Federal stock numbers to index numbers.

c. Reference Designation Cross-Reference to Index Number, Section IV. This is a cross-reference index of reference and/or item number to index number.

3. Explanation of Columns

An explanation of the columns is given below.

a. Source, Maintenance, and Recoverability Codes (SMR) and Index Numbers Column. The first line in this column lists the applicable SMR codes for the part. Listed in ascending order directly below the SMR codes is the index number assigned to the repair part.

(1) *Source Code (S).* The selection status and source for the listed item is noted here. Source codes and their explanations are as follows:

Code	*Explanation*
P	Applies to repair parts that are stocked in or supplied from the GSA/DSA, or Army supply system, and authorized for use at indicated maintenance categories.
M	Applies to repair parts that are not procured or stocked but are to be manufactured at indicated maintenance categories.
A	Applies to assemblies that are not procured or stocked as such but are made up of two or more units, each of which carries an individual stock number and description and is procured and stocked and can be assembled by units at indicated maintenance categories.
X	Applies to parts and assemblies that are not procured or stocked; the mortality of which normally is below that of the applicable end item; and the failure of which should result in retirement of the end item from the supply system.
X1	Applies to repair parts that are not procured or stocked, the requirement for which will be supplied by use of next higher assembly or component.
X2	Applies to repair parts that are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain them through cannibalization; if not obtainable through cannibalization, such repair parts will be requisitioned with supporting justification through normal supply channels.
G	Applies to major assemblies that are procured with PEMA funds for initial issue only to be used as exchange assemblies at DSU and GSU categories. These assemblies will not be stocked above DSU and GSU categories or returned to depot supply category.

(2) *Maintenance code (M).* The lowest category of maintenance authorized to install the listed item is noted here.

Code	*Explanation*
C	Operator/Crew
O	Organizational Maintenance
F	Direct Support Maintenance
H	General Support Maintenance
D	Depot Maintenance

(3) *Recoverability code (R).* The information in this column indicates whether unserviceable items should be returned for recovery or salvage. Recoverability code and its explanation is as follows:

Note. When no code is indicated in the recoverability column, the part will be considered expendable.

Code	*Explanation*
R	Applies to repair parts and assemblies which are economically repairable at DSU and GSU activities and normally are furnished by supply on an exchange basis.

b. Federal Stock Number Column. The Federal stock number for the item is listed in this column.

c. Description Column. This column includes the Federal item name and any additional description of the item required, the manufacturer's part number (reference number), and the applicable five-digit Federal Supply Code for Manufacturers (para 6). For subsequent appearances of the same item, the manufacturer's code and part number (reference number) are omitted. The words "same as" followed by the index number assigned to the item when it first appeared in the list will follow the item name; e.g., "RESISTOR FIXED, COMPOSITION: SAME AS A298." Usable on code column is not used.

d. Unit of Issue Column. The unit used as a basis of issue (e.g. ea, pr, ft, dy, etc.) is noted in this column.

e. Quantity Incorporated in Unit Pack Column. Not used.

f. Quantity Incorporated in Unit column. The quantity of repair parts in an assembly is given in this column. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

g. Maintenance Allowances Column.

(1) The maintenance allowance columns are divided into subcolumns. Indicated in each subcolumn opposite the first appearance of each item is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have no entry in the allowance columns, but will have a reference in the description column to the first appearance of the item. Items authorized for use as required, but not for initial stockage, are identified with an asterisk (*) in the allowance column.

(2) The quantitative allowances for DS/GS categories of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

h. One-Year Allowances Per 100 Equipments/Contingency Planning Purposes Column. Opposite the first appearance of each item, the total quantity required for distribution and contingency planning purposes is indicated. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year.

i. Depot Maintenance Allowance Per 100 Equipments Column. This column indicates the total quantity of each item authorized depot maintenance for 100 equipments. Subsequent appearances of the same item will have no entry in this column, but will have a reference in the description column to the first appearance of the item.

j. Illustrations Column.

(1) *Figure number (a).* Not used.

(2) *Item No. or Reference Designation (b).* This column lists the reference designations that appear on the part in the equipment.

4. Reference Publications

The following publications pertain to Radio Teletypewriter Set AN/GRC–142 and its components.

TM 11–5038	Control Group AN/GRA–6.
TM 11–5410–212–15P	Organizational, DS, GS, and Depot Maintenance Repair Parts and Special Tool Lists: Shelter, Electrical Equipment S–318/G.
TM 11–5805–201–12	Organizational Maintenance Manual: Telephone Set TA–312/PT.
TM 11–5805–201–20P	Organizational Maintenance Repair Parts and Special Tool Lists: Telephone Set TA–312/TP.
TM 11–5805–201–35P	Field and Depot Maintenance Repair Parts and Special Tool Lists: Telephone Set TA–312/PT.

TM 11–5805–387–15–1	Operator, Organizational, Direct Support, General Support, and Depot Maintenance Manual: Modem, Radio Teletypewriter MD–522/GRC.
TM 11–5805–387–20P–1	Organizational Maintenance Repair Parts and Special Tool Lists: Modem, Radio Teletypewriter MD–522/GRC.
TM 11–5805–387–35P–1	DS, GS, and Depot Maintenance Repair Parts and Special Tool Lists: Modem, Radio Teletypewriter MD–522/GRC.
TM 11–5805–387–15–2	Organizational, DS, GS, and Depot Maintenance Manual: Radio Teletypewriter, Modem MD–522A/GRC.
TM 11–5805–387–20P–2	Organizational Maintenance Repair Parts and Special Tool Lists: Modem, Radio Teletypewriter MD–522A/GRC.
TM 11–5805–387–35P–2	DS, GS, and Depot Maintenance Repair Parts and Special Tool Lists: Radio Teletypewriter, Modem MD–522A/GRC.
TM 11–5815–200–12	Organizational Maintenance Manual Including Repair Parts and Special Tool Lists: Teletypewriter Sets AN/FGC–20, AN/FGC–20X, AN/FGC–21, AN/FGC–64, AN/FGC–66, AN/FGC–67, AN/FGC–67X, AN/UGC–4, AN/UGC–29, AN/UGC–29X, and Teleprinter TT–259/FG.
TM 11–5815–200–35P/2	Direct and General Support and Depot Maintenance Repair Parts and Special Tool Lists: Teletypewriter Sets AN/FGC–20X and AN/UGC–4.
TM 11–5815–238–12	Organizational Maintenance Manual Including Repair Parts and Special Tool Lists: Teletypewriter Sets AN/GGC–3 and AN/GGC–3A and Teletypewriter Reperforator-Transmitters TT–76/GGC, TT–76A/GGC, TT–76B/GGC and TT–76C/GGC.
TM 11–5815–238–35P	DS, GS, and Depot Maintenance Repair Parts and Special Tool Lists: Teletypewriter Sets AN/GGC–3 and AN/GGC–3A; Reperforator-Transmitters, Teletypewriter TT–76/GGC, TT–76A/GGC, TT–76B/GGC, and TT–76C/GGC.
TM 11–5815–334–12	Operator and Organizational Maintenance Manual: Radio Teletypewriter Sets AN/GRC–142 and AN/GRC–122.
TM 11–5815–338–15	Operator, Organizational, DS, GS, and Depot Maintenance Manual Including Repair Parts and Special Tool Lists: Device, Low-Level Signaling TT–523/GGC and TT–523A/GGC.
TM 11–5815–338–35P	DS, GS, and Depot Maintenance Repair Parts and Special Tool Lists: Low-Level Signaling Device TT–523A/GGC.
TM 11–5820–467–15	Operator, Organizational, Field and Depot Maintenance Manual: Antenna Group AN/GRA–50.
TM 11–5820–467–25P	Organizational, Field, and Deport Maintenance Repair Parts and Special Tool Lists: Antenna Group AN/GRA–50.
TM 11–5820–489–20P	Organizational Maintenance Repair Parts and Special Tool Lists: Control Group AN/GRA–6.
TM 11–5820–489–35P	Field and Depot Maintenance Repair Parts and Special Tool Lists: Control Group AN/GRA–6.
TM 11–5820–520–12	Operator and Organizational Maintenance Manual: Radio Set AN/GRC–106, Including Repair Parts and Special Tool Lists:
TM 11–5820–520–25P	Organizational, DS, GS, and Depot Maintenance Repair Parts and Special Tool Lists: Radio Set AN/GRC–106.

TM 11–5965–222–15P	Operator, Organizational, Field and Depot Maintenance Repair Parts and Special Tool Lists and Maintenance Allocation Chart: Dynamic Loudspeaker LS–166/U.
TM 11–5965–224–15P	Operator, Organizational, Field and Depot Maintenance Repair Parts and Special Tool Lists and Maintenance Allocation Chart: Handsets H–60/PT and H–165/U.
TM 11–5965–260–15P	Operator, Organizational, Field and Depot Maintenance Repair Parts and Special Tool Lists: Headset, Electrical H–140A/U.
TM 11–6625–333–12P	Operator and Organizational Maintenance Repair Parts and Special Tool Lists and Maintenance Allocation Chart: Standing Wave Ratio-Power Meter ME–165/G.
TM 11–6625–333–35P	Field and Depot Maintenance Repair Parts and Special Tool Lists: Standing Wave Ratio-Power Meter ME–165/G.

5. Location of Repair Parts

a. This manual contains two cross-reference indexes (sec. III and IV), to be used to locate a repair part when either the Federal stock number, reference number (manufacturer's part number), or reference designation is known. The first column in each cross-reference index is prepared, as applicable, in numerical or alphanumerical sequence. The second column of each cross-reference index lists the index number assigned to the part.

b. Refer to the appropriate cross-reference index (para 2*b*, *c*) and note the index number in the second column; then refer to the repair parts list to locate the index number which is listed in ascending order in column 1 of the repair parts list.

6. Federal Supply Codes

This paragraph lists the Federal supply code and the associated manufacturer's name.

Code number	*Manufacturer's name*
00328	Sterling Instrument, Division of Designatronics, Inc.
00652	Cummings and Sander, Division of Products Research and Chemical Corp.
00779	Amp, Inc.
01943	Moeller Mfg. Co., Inc.
04255	The Weatherhead Co.
05714	Honeywell, Inc., Test Instruments Division
07294	Genisco Technology Corp., Electronic Components Div.
07418	Sunbank Electronics, Inc.
07526	Chamberlin Rubber Co.
08524	Deutsch Fasterer Corp.
09523	Parker-Hannifin Corp., Accessories Division
09922	Burndy Corp.
13619	R. F. Interonics, Inc.
15605	Cutler-Hammer, Inc.
23404	Callboy Company
24446	General Electric Co.
24503	General Fireproofing Co.
30327	Imperial-Eastman Corp.
36800	Canada Duphar Limited
53085	Sargent and Greenleaf, Inc.
56289	Sprague Electric Co.
66099	Wincharger Corp.
70418	Arrow Safety Device Co.
70903	Belden Mfg. Co.
71279	Cambridge Thermionic Corp.
71791	Curtiss-Wright Corp., Curtiss Division
72653	G. C. Electronics Co.
73507	Brainerd Mfg. Co.
74193	Heinemann Electron Co.
74545	Harvey Hubbell Inc.
74970	E. F. Johnson Co.
75165	Johns-Manville Corp.
75382	Kulka Electric Corp.
76374	Mechanical Products, Inc.
77820	Bendix Corp., The Scintilla Division
77881	Rodale Mfg. Co., Inc.
78357	Snap-Tite, Inc.
78553	Tinnerman Products, Inc.
79470	The Weatherhead Co.
79725	The Wiremold Co.
79796	Woodings Verona Tool Works
80058	Joint Electronic Type Designation System
80063	Army Electronics Command
80072	United States Motors Corp.
80112	G. C. Electronics Co.
80205	National Aerospace Standards
81312	Winchester Electronics Division, Litton Industries, Inc.
81349	Military Specifications
81640	Control Switch Division Controls Co. of American

Code number	Manufacturer's name
82389	Switchcraft, Inc.
83014	Hartwell Corp.
88044	Aeronautical Standards Group, Dept. of Navy and Air Force
92702	IMC Magnetics, Eastern Division
94222	South Chester Corp.
96167	Cook Electric Co., Wirecom Division
96906	Military Standards
99539	General Fire Extinguisher Corp.

7. Indexes of Publications

Refer to the latest issues of DA Pam 310–4 and DA Pam 310–7 to determine whether there are new editions, changes, or additional publications pertaining to the equipment.

8. Reporting of Equipment Publication Improvements

Report of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to DA Publications) and forwarded direct to Commanding General, U.S. Army Electronics Command, ATTN: AMSEL–ME–NMP–AD, Fort Monmouth, N.J., 07703.

SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
A-F-R A001	5820-788-4515	RADIO TELETYPEWRITER SET AN/GRC-142: (This item is nonexpendable.)													
A-F-R A002	5410-763-2339	SHELTER, ELECTRICAL EQUIPMENT S-318/G: S-318/G; 80063 (This item is nonexpendable.)	ea		1										
M-D A004		CHANNEL ASSEMBLY: SM-C-603073; 80063	ea		1										
X2-H A005	5310-903-5966	NUT, PLAIN, HEXAGONAL: MS51971-1; 96906	ea		1										
X2-H A006		WASHER, LOCK: MS35338-139; 96906	ea		1										
X2-H A007	5305-702-4523	SCREW MACHINE: MS35307-306; 96906	ea		1										
X2-H A008	5310-880-5983	WASHER, FLAT: MS15795-810; 96906	ea		2										
M-D A009		CHANNEL ASSEMBLY: SM-C-603074; 80063	ea		1										
X2-H A010	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		1										
X2-H A011		WASHER, LOCK: SAME AS A006	ea		1										
X2-H A012	5305-702-4523	SCREW, MACHINE: SAME AS A007	ea		1										
X2-H A013	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		2										
M-D A014		CHANNEL ASSEMBLY: SM-D-603075; 80063	ea		1										
X2-H A015	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		2										
X2-H A016		WASHER, LOCK: SAME AS A006	ea		2										
X2-H A017	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		4										
X2-H A018	5305-021-3620	SCREW, MACHINE: MS35307-307; 96906	ea		2										
M-D A019		CHANNEL ASSEMBLY: SM-C-603076; 80063	ea		1										
X2-H A020	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		2										
X2-H A021		WASHER, LOCK: SAME AS A006	ea		1										
X2-H A022	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		4										
X2-H A023	5305-021-3620	SCREW, MACHINE: SAME AS A018	ea		2										
M-D A024		MOUNTING AC-DC INVERTER ASSEMBLY: SM-D-603085; 80063	ea		1										
X2-H A025	5305-021-3620	SCREW, MACHINE: SAME AS A018	ea		4										
X2-H A026	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		4										
M-D A027		SUPPORT ANGLE ASSEMBLY: SM-C-603080; 80063	ea		1										
X2-H A028	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		1										
X2-H A029		WASHER, LOCK: SAME AS A006	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H A030	5305-021-3616	SCREW, MACHINE: MS35307-305; 96906	ea		1										
X2-H A031	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		2										
M-D A032		SUPPORT ANGLE ASSEMBLY: SM-C-603170; 80063	ea		1										
X2-H A033	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		1										
X2-H A034		WASHER, LOCK: SAME AS A006	ea		1										
X2-H A035	5305-021-3616	SCREW, MACHINE: SAME AS A030	ea		2										
X2-H A036	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		2										
M-D A037		BRACKET, ANGLE: SM-B-603013; 80063	ea		4										
X2-H A038	5305-021-3620	SCREW, MACHINE: SAME AS A018	ea		4										
X2-H A039	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		4										
X2-H A040	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		8										
X2-H A041		WASHER, LOCK: SAME AS A006	ea		4										
M-D A042		SUPPORT CHANNEL: SM-C-60315-1; 80063	ea		4										
X2-H A043	5306-637-9674	SCREW, MACHINE: MS35307-336; 96906	ea		4										
X2-H A044	5310-625-5756	WASHER, FLAT: MS15795-812; 96906	ea		4										
X2-H A045		WASHER, LOCK: MS35338-140; 96906	ea		4										
M-D A046		SUPPORT CHANNEL: SM-C-603015-2; 80063	ea		4										
X2-H A047	5306-637-9674	SCREW, MACHINE: SAME AS A043	ea		4										
X2-H A048	5310-625-5756	WASHER, FLAT: SAME AS A044	ea		4										
X2-H A049		WASHER, LOCK: SAME AS A045	ea		4										
M-D A050		RACK BASE: SM-C-603016; 80063	ea		2										
X2-H A051	5306-637-9674	SCREW, MACHINE: SAME AS A043	ea		8										
X2-H A052	5310-625-5756	WASHER, FLAT: SAME AS A044	ea		8										
X2-H A053		WASHER, LOCK: SAME AS A045	ea		8										
M-D A054		REAR SUPPORT ANGLE: SM-D-603028; 80063	ea		1										
X2-H A055	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		6										
X2-H A056		WASHER, LOCK: SAME AS A006	ea		6										
X2-H A057	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		12										
X2-H A058	5307-702-4523	SCREW, MACHINE: SAME AS A007	ea		4										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H A059	5305-021-3620	SCREW, MACHINE: SAME AS A018	ea		2										
M-D A060		TOP LEFT, ANGLE SUPPORT: SM-C-603040; 80063	ea		1										
X2-H A061	5306-637-9674	SCREW, MACHINE: SAME AS A043	ea		4										
X2-H A062	5310-625-5756	WASHER, FLAT: SAME AS A044	ea		4										
X2-H A063		WASHER, LOCK: SAME AS A045	ea		4										
M-D A064		TOP RIGHT, ANGLE SUPPORT: SM-C-603041; 80063	ea		1										
X2-H A065	5306-637-9674	SCREW, MACHINE: SAME AS A043	ea		4										
X2-H A066	5310-625-5756	WASHER, FLAT: SAME AS A044	ea		4										
X2-H A067		WASHER, LOCK: SAME AS A045	ea		4										
M-D A068		TOP SUPPORT BRACKET: SM-C-603043; 80063	ea		2										
X2-H A069	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		4										
X2-H A070		WASHER, LOCK: SAME AS A006	ea		4										
X2-H A071	5305-021-3616	SCREW, MACHINE: SAME AS A030	ea		4										
X2-H A072	5305-702-4523	SCREW, MACHINE: SAME AS A007	ea		4										
X2-H A073	5310-625-5756	WASHER, FLAT: SAME AS A044	ea		4										
X2-H A074		WASHER, LOCK: SAME AS A045	ea		4										
X2-H A075	5306-720-8260	SCREW, MACHINE: MS35307-335; 96906	ea		4										
M-D A076		SHELF EQUIPMENT RACK: SM-C-603050; 80063	ea		2										
X2-H A077	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		16										
X2-H A078		WASHER, LOCK: SAME AS A006	ea		16										
X2-H A079	5305-702-4523	SCREW, MACHINE: SAME AS A007	ea		16										
X2-H A080	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		32										
X2-H A081	5310-167-0812	WASHER, FLAT: AN960C10L; 88044	ea		4										
X2-H A082		WASHER, LOCK: MS35338-138; 96906	ea		4										
X2-H A083	5310-270-8810	NUT, PLAIN, HEXAGONAL: MS35650-104; 96906	ea		4										
X2-H A084		SCREW, SHOULDER: SM-B-603559; 80063	ea		4										
M-D A085		SUPPORT CHANNEL: SM-B-603053; 80063	ea		1										
X2-H A086	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		2										
X2-H A087		WASHER, LOCK: SAME AS A006	ea		2										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H A088	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		4										
X2-H A089	5305-021-3620	SCREW, MACHINE: SAME AS A018	ea		2										
M-D A090		SUPPORT ANGLE FRONT: SM-D-603054; 80063	ea		1										
X2-H A091	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		6										
X2-H A092		WASHER, LOCK: SAME AS A006	ea		6										
X2-H A093	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		35										
X2-H A094	5305-702-4523	SCREW, MACHINE: SAME AS A007	ea		4										
X2-H A095	5305-021-3620	SCREW, MACHINE: SAME AS A018	ea		2										
M-D A096		SUPPORT CHANNEL: SM-D-603064; 80063	ea		1										
X2-H A097	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		1										
X2-H A098		WASHER LOCK: SAME AS A006	ea		1										
X2-H A099	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		2										
X2-H A100	5305-021-3620	SCREW MACHINE: SAME AS A018	ea		1										
M-D A101		SUPPORT CHANNEL: SM-D-603070; 80063	ea		1										
X2-H A102	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		2										
X2-H A103		WASHER, LOCK: SAME AS A006	ea		2										
X2-H A104	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		4										
X2-H A105	5305-021-3620	SCREW, MACHINE: SAME AS A018	ea		2										
M-D A106		SUPPORT CHANNEL: SM-C-603071; 80063	ea		1										
X2-H A107	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		1										
X2-H A108		WASHER, LOCK: SAME AS A006	ea		1										
X2-H A109	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		2										
X2-H A110	5305-021-3620	SCREW, MACHINE: SAME AS A018	ea		1										
X2-H A110A		CONNECTOR, MALE, PIPE: 4-4FIXB; SM-B-603566; 09523	ea		1										
X2-H A111		FLANGE SPOOL: SM-C-603042; 96906													
X2-H A112	5305-765-4352	SCREW, MACHINE: MS51959-31; 96906	ea		4										
M-D A113		EXHAUST SCOOP ASSEMBLY: SM-D-603397; 80063	ea		1										
X2-H A114	5305-054-6672	SCREW, MACHINE: MS51957-47; 96906	ea		12										
X2-H A115		WASHER, LOCK: MS35338-137; 96906	ea		12										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H A116	5310-685-3744	WASHER, FLAT: AN960C8; 88044	ea		12										
M-D A117		EXHAUST SCOOP ASSEMBLY: SM-D-602978; 80063	ea		1										
M-D A118		SUPPORT: SM-B-602967; 80063	ea		2										
X2-H A119	5310-720-7798	NUT, WING: MS35425-19; 96906	ea		4										
X2-H A120	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		4										
X2-H A121		WASHER, LOCK: SAME AS A115	ea		4										
M-H A122		GASKET: SM-C-603055; 80063	ea		1										
M-D A123		SUPPORT CABINET END: SM-D-603082; 80063	ea		1										
X A124	5985-937-6718	SUPPORT ANTENNA: SM-D-603561; 80063	ea		1										
X2-H A125	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		6										
X2-H A126	5310-515-7449	WASHER, FLAT: AN960C416L; 88044	ea		6										
X2-H A127		WASHER, LOCK: SAME AS A006	ea		6										
X2-H A128		SCREW, MACHINE: MS35307-315; 96906	ea		6										
X A129		BRACKET ANTENNA: SM-D-603004; 80063	ea		1										
X2-H A130		SCREW, SHOULDER: SM-C-603087; 80063	ea		2										
X2-H A131		CAP PROTECTIVE: MS35533L39; 96906	ea		2										
X2-H A132	5310-209-1498	WASHER, FLAT: AN960C416; 88044	ea		2										
X2-H A133	5310-275-5512	NUT, PLAIN, HEXAGONAL: MS35691-410; 96906	ea		2										
X2-H A134	5310-183-4355	WASHER, FLAT: AN960C616L; 88044	ea		2										
X A135		SUPPORT: SM-D-602976; 80063	ea		1										
X2-H A136	5305-054-6654	SCREW, PAN HEAD: MS51957-30; 96906	ea		1										
X2-H A137	5310-531-9514	WASHER FLAT: AN960C6; 88044	ea		1										
X2-H A138		WASHER, LOCK: MS35338-136; 96906	ea		1										
X2-H A139	5310-271-4644	NUT, PLAIN, HEXAGONAL: MS35649-64; 96906	ea		1										
P-F A140	5935-089-3573	COVER, ELECTRICAL CONNECTOR: SM-C-603376; 80063	ea		1	*	2	2	*	2	2	13	6		
P-F A141	5340-089-4062	PIN, QUICK RELEASE: SM-C-603389; 80063	ea		2	*	*	2	*	*	2	10	4		
X2-H A142	5305-059-3659	SCREW, MACHINE: MS51958-63; 96906	ea		2										
X2-H A143		WASHER, LOCK: SAME AS A082	ea		2										
X2-H A144	5310-167-0801	WASHER, FLAT: AN960C10; 88044	ea		2										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H A145	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		2										
X1 A146		PIN, QUICK RELEASE: MS17990C403; 96906	ea		2										
X1 A147		CHAIN: LW1145-1-4; SM-B-603272; 83014	ea		2										
A-F-R A148	5815-067-8101	ENTRANCE BOX ASSEMBLY, DC: SM-D-602952; 80063	ea		1										
X2-F A149	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		20										
X2-F A150		WASHER, LOCK: SAME AS A082	ea		20										
X2-F A151	5305-059-3661	SCREW, MACHINE: MS51958-65; 96906	ea		20										
P-F A152	5915-832-6318	FILTER RADIOFREQUENCY: RF2446; SM-C-602959; 13619	ea		1	*	*	2	*	*	2	8	3		FL1
X2-F A153	5305-071-1322	SCREW, MACHINE: MS51960-65; 96906	ea		2										
X2-F A154	5310-619-1148	WASHER, FLAT: MS15795-808; 96906	ea		2										
X2-F A155		WASHER, LOCK: SAME AS A082	ea		2										
X2-F A156	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		2										
X2-F A157	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		4										
X2-F A158		WASHER, LOCK: SAME AS A006	ea		4										
X2-F A159	5310-275-5512	NUT, PLAIN, HEXAGONAL: SAME AS A133	ea		4										
P-F A160	5915-688-3177	FILTER RADIOFREQUENCY: 2JX47; SM-C-602933; 56289	ea		10	*	2	2	*	2	2	19	10		FL3
P-F A161	5915-688-3177	FILTER, RADIOFREQUENCY: SAME AS A160	ea		REF										FL4
P-F A162	5915-688-3177	FILTER, RADIOFREQUENCY: SAME AS A160	ea		REF										FL5
P-F A163	5915-688-3177	FILTER, RADIOFREQUENCY: SAME AS A160	ea		REF										FL6
P-F A164	5915-688-3177	FILTER, RADIOFREQUENCY: SAME AS A160	ea		REF										FL7
P-F A165	5915-688-3177	FILTER, RADIOFREQUENCY: SAME AS A160	ea		REF										FL8
P-F A166	5915-688-3177	FILTER, RADIOFREQUENCY: SAME AS A160	ea		REF										FL9
P-F A167	5915-688-3177	FILTER, RADIOFREQUENCY: SAME AS A160	ea		REF										FL10
P-F A168	5915-688-3177	FILTER, RADIOFREQUENCY: SAME AS A160	ea		REF										FL11
P-F A169	5915-688-3177	FILTER, RADIOFREQUENCY: SAME AS A160	ea		REF										FL12
P-F A170	5935-834-6220	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3102R32-17P; 96906	ea		1	*	*	*	*	*	*	5	2		J1
X2-H A171	5305-054-6671	SCREW, MACHINE: MS51957-46; 96906	ea		3										
X2-H A172	5310-880-5978	WASHER, FLAT: MS15795-807; 96906	ea		4										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CMTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H A173		WASHER, LOCK: SAME AS A082	ea		4										
X2-F A174		WASHER, SEALING: NAS1598C08R; 80205	ea		4										
X2-H A175	5305-054-6672	SCREW, MACHINE: SAME AS A114	ea		1										
P-F A176	5935-581-2889	COVER, CONNECTOR: MS25043-32C; 96906	ea		1	*	*	2	*	*	2	10	4		
M-D A177		COVER: SM-D-603182; 80063	ea		1										
M-D A178		COVER SIDE: SM-D-603194; 80063	ea		1										
X2-F A179	5305-054-6671	SCREW MACHINE: SAME AS A171	ea		22										
X2-F A180	5310-880-5976	WASHER, FLAT: MS15795-806; 96906	ea		22										
X2-F A181		WASHER, LOCK: SAME AS A138	ea		22										
M-D A182		COVER TOP: SM-C-603195; 80063	ea		1										
X2-F A183	5305-054-6671	SCREW, MACHINE: SAME AS A171	ea		14										
X2-F A184	5310-880-5976	WASHER, FLAT: SAME AS A180	ea		14										
X2-F A185		WASHER, LOCK: SAME AS A138	ea		14										
M-D A186		COVER: SM-D-603068; 80063	ea		1										
X2-F A187	5305-054-6652	SCREW, MACHINE: MS51957-28; 96906	ea		4										
X2-F A188	5310-880-5976	WASHER, FLAT: SAME AS A180	ea		4										
X2-H A189		WASHER, LOCK: SAME AS A138	ea		4										
M-D A190		COVER: SM-D-603069; 80063	ea		1										
X2-F A191	5305-054-6652	SCREW, MACHINE: SAME AS A187	ea		4										
X2-F A192	5310-880-5976	WASHER, FLAT: SAME AS A180	ea		4										
X2-H A193		WASHER, LOCK: SAME AS A138	ea		4										
M-D A194		STANDOFF ASSEMBLY: SM-B-603067; 80063	ea		4										
X2-F A195	5305-054-6652	SCREW, MACHINE: SAME AS A187	ea		4										
X2-F A196	5310-880-5976	WASHER, FLAT: SAME AS A180	ea		4										
X2-H A197		WASHER, LOCK: SAME AS A138	ea		4										
M-D A198		STANDOFF ASSEMBLY: SM-B-603242; 80063	ea		4										
X2-F A199	5305-054-6652	SCREW, MACHINE: SAME AS A187	ea		4										
X2-F A200	5310-880-5976	WASHER, FLAT: SAME AS A180	ea		4										
X2-H A201		WASHER, LOCK: SAME AS A138	ea		4										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CMTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D A202		STUD FRONT GROUND: SM-B-603065; 80063	ea		1										
X2-F A203		WASHER, SEALING: NAS1598C6R; 80205	ea		1										
X2-F A204	5310-527-3634	WASHER, LOCK: MS35335-61; 96906	ea		4										
X2-F A205	5310-543-4717	NUT, PLAIN WING: MS35425-28; 96906	ea		1										
X2-F A206	5310-543-5655	NUT, PLAIN, HEXAGONAL: MS35691-610; 96906	ea		3										
M-D A207		STUD REAR GROUND: SM-B-603066-1; 80063	ea		2										
X2-F A208	5310-527-3634	WASHER, LOCK: SAME AS A204	ea		8										
X2-H A209	5310-275-5512	NUT, PLAIN, HEXAGONAL: SAME AS A133	ea		8										
P-F A210	5920-902-4041	ARRESTER, LIGHTENING: 41-410; SM-C-602932; 96167	ea		10	*	2	2	*	2	2	19	10		E21 thru E30
X2-F A211	5310-209-0790	WASHER, LOCK: MS35335-63; 96906	ea		10										
P-F A212	5940-223-5293	POST, BINDING: U106/U; SC-C-16495; 80063	ea		20	2	2	3	2	2	2	40	35		
P-F A213	5330-614-0344	GASKET: 10-36675-32; SM-C-602935; 77820	ea		1	*	*	2	*	*	2	10	4		
P-F A214	5340-664-2635	CLAMP, CABLE: HP2N; SM-B-583238-1; 09922	ea		5	*	2	2	*	2	2	16	8		
X2-F A215	5310-880-5976	WASHER, FLAT: SAME AS A180	ea		8										
X2-H A216		WASHER, LOCK: SAME AS A138	ea		4										
X2-H A217	5310-271-4644	NUT, PLAIN, HEXAGONAL: SAME AS A139	ea		5										
X2-H A218	5305-054-6654	SCREW, PAN HEAD: SAME AS A136	ea		4										
X2-F A219	5310-209-3990	WASHER, LOCK INTERNAL: MS35333-71; 96906	ea		1										
X2-F A220		WASHER, SEALING: NAS1598C06R; 80205	ea		1										
X2-F A221	5305-054-6655	SCREW, MACHINE: MS51957-31; 96906	ea		1										
P-F A222	5340-543-3931	CLAMP CABLE: HP3N; SM-B-583238-2; 09922	ea		2	*	*	2	*	*	2	10	4		
X2-F A223	5310-880-5976	WASHER, FLAT: SAME AS A180	ea		3										
X2-F A224		WASHER, LOCK: SAME AS A138	ea		2										
X2-F A225	5310-271-4644	NUT, PLAIN, HEXAGONAL: SAME AS A139	ea		2										
X2-F A226	5305-054-6654	SCREW, PAN HEAD: SAME AS A136	ea		1										
X2-F A227		WASHER SEALING: SAME AS A220	ea		1										
X2-F A228	5305-054-6655	SCREW MACHINE: SAME AS A221	ea		1										
P-F A229	5340-598-0383	CLAMP, CABLE: HP4N; SM-B-583238-3; 09922	ea		7	*	2	2	*	2	2	16	8		
X2-F A230	5310-880-5976	WASHER, FLAT: SAME AS A180	ea		7										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F A231		WASHER, LOCK: SAME AS A138	ea		3										
X2-F A232		NUT, PLAIN, HEXAGONAL: SAME AS A139	ea		7										
X2-F A233	5305-727-8832	SCREW, MACHINE: MS51959-29; 96906	ea		2										
X2-F A234	5305-054-6654	SCREW, PAN HEAD: SAME AS A136	ea		5										
X2-F A235	5310-209-3990	WASHER, LOCK INTERNAL: SAME AS A219	ea		4										
X2-F A236		BOX AND PLATE ASSEMBLY: SM-C-603191; 80063	ea		1										
M-D A237		SUPPORT, ENTRANCE: SM-D-603192; 80063	ea		1										
X2-F A238		GASKET: SM-C-603196; 80063	ea		1										
A-F-R A239		FAN, ASSEMBLY: SM-D-603555; 80063	ea		1										
X2-F A240	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		13										
X2-F A241		WASHER, LOCK: SAME AS A115	ea		13										
X2-F A242	5310-271-4645	NUT, PLAIN, HEXAGONAL: MS35649-84; 96906	ea		13										
M-D A243		PLATE ASSEMBLY MOUNTING: SM-D-602962; 80063	ea		1										
P-F A244	4140-926-9648	FAN, VENTILATING, PROPELLER: BD3020F1; SM-C-603032; 92702	ea		1	*	*	*	*	*	*	4	1		
X2-F A245	5305-054-6669	SCREW, MACHINE: MS51957-44; 96906	ea		8										
X2-F A246	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		8										
X2-F A247		WASHER, LOCK: SAME AS A115	ea		8										
X2-F A248	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		8										
P-F A249	5940-983-6098	TERMINAL BOARD: 602-3GMF; 75382	ea		1	*	*	*	*	*	*	4	1		
X2-F A250	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		4										
X2-F A251		WASHER, LOCK: SAME AS A115	ea		4										
X2-F A252	5305-054-6671	SCREW, MACHINE: SAME AS A171	ea		4										
M-F A253		SHIELD PROTECTIVE: SM-B-603278; 80063	ea		1										
X2-F A254	5305-054-6652	SCREW, MACHINE: SAME AS A187	ea		2										
X2-F A255		WASHER, LOCK: SAME AS A138	ea		2										
X2-F A256	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		2										
P-F A257	5915-089-3274	FILTER RADIO INTERFERENCE: GF1888-5; SM-C-603465; 07294	ea		1	*	*	2	*	*	2	8	3		
X2-F A258	5305-054-6669	SCREW, MACHINE: SAME AS A245	ea		2										
X2-F A259	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		2										

SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F A260		WASHER, LOCK: SAME AS A115	ea		2										
X2-F A261	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		2										
X2-F A261A		TERMINAL, LUG: 324169; SM-B-603347; 00779	ea		7										
X2-F A261B		WIRE, TWISTED PAIR: SM-B-603685; 80063	ft		1										
M-D A262		LOUVER ASSEMBLY: SM-D-602984; 80063	ea		1										
M-D A263		FRONT ASSEMBLY LOUVER: SM-D-602983; 80063	ea		1										
M-D A264		FLAP AIR: SM-C-602981; 80063	ea		8										
M-D A265		ROD PIVOT: SM-B-602982; 80063	ea		8										
X2-F A266	5315-815-1405	PIN COTTER: MS24665-151; 96906	ea		16										
M-F A267		GASKET: SM-C-603008-1; 80063	ea		1										
M-F A268		GASKET: SM-C-603008-2; 80063	ea		1										
M-F A269		GASKET: SM-C-603008-3; 80063	ea		1										
M-F A270		GASKET: SM-C-603008-4; 80063	ea		1										
F-F A271	5915-089-3857	FILTER ASSEMBLY RADIO: SM-D-603006; 80063	ea		1	*	*	*	*	*	*	4	1		
X2-F A272	5310-282-4789	WASHER, FLAT: AN960C8L; 88044	ea		4										
X2-F A273		WASHER, LOCK: SAME AS A115	ea		4										
X2-F A274	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		4										
A-F-R A275	4520-649-7571	HEATER SPACE: SM-D-539485; 80063 (This item is nonexpendable)	ea		1										
X2-F A276		WASHER, LOCK: MS35338-143; 96906	ea		4										
X2-F A277	5305-269-2501	GASKET RUBBER: MS35308-407; 96906	ea		4										
X2-F A278	5310-543-2862	WASHER, FLAT: MS15795-818; 96906	ea		4										
M-D A278A		HOSE ASSEMBLY: SM-B-603690; 80063	ea		1										
M-D A279		COVER ASSEMBLY FAN: SM-D-603046; 80063	ea		1										
X2-F A280	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		10										
X2-F A281		WASHER, LOCK: SAME AS A115	ea		10										
X2-F A282	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		10										
X2-F A283	5305-059-3661	SCREW MACHINE: SAME AS A151	ea		3										
X2-F A284	5305-054-6652	SCREW, MACHINE: SAME AS A187	ea		3										
X2-F A285		WASHER, LOCK: SAME AS A138	ea		3										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H A286		GROMMET: SM-B-603083; 80063	ea		1										
M-H A287		SPACER, HINGE: SM-B-603031; 80063	ea		1										
M-D A288		BRACKET ASSEMBLY: SM-B-603406; 80063	ea		1										
X2-H A289		SCREW, CAP: MS35307-309; 96906	ea		4										
X2-H A290	5310-515-7449	WASHER, FLAT: SAME AS A126	ea		8										
X2-H A291		WASHER, LOCK: SAME AS A006	ea		4										
M-D A292		BRACKET ASSEMBLY: SM-C-603184; 80063	ea		1										
M-D A293		BRACKET ANGLE: SM-B-603047; 80063	ea		1										
X2-H A294	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		1										
X2-H A295		WASHER, LOCK: SAME AS A006	ea		1										
X2-H A296	5310-063-6716	NUT, PLAIN, WING: MS35426-14; 96906	ea		1										
P-F A297	5805-089-4003	BOX ASSEMBLY, TELEPHONE: SM-C-603209; 80063	ea		1	*	*	*	*	*	*	5	2		
X2-F A298	5305-764-0068	SCREW, MACHINE: MS51959-45; 96906	ea		10										
X1 A299		BOX, TELEPHONE: SM-D-603208; 80063	ea		1										
M-D A300		STRAP WEBBING: SM-C-603211; 80063	ea		1										
X2-F A301	5305-764-0070	SCREW, MACHINE: MS51959-46; 96906	ea		2										
X2-F A302	5310-880-5978	WASHER, FLAT: SAME AS A172	ea		2										
X2-F A303		WASHER, LOCK: SAME AS A115	ea		2										
X2-F A304	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		2										
A-F-R A305	6110-937-6439	PANEL POWER DISTRIBUTION SB-3018/GRC-142: SM-D-602937; 80063	ea		1										
X2-F A306	5310-515-7449	WASHER, FLAT: SAME AS A126	ea		3										
X2-F A307	5305-021-3620	SCREW, MACHINE: SAME AS A018	ea		3										
X2-F A308	5305-021-3616	SCREW, MACHINE: SAME AS A030	ea		2										
X2-F A309	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		2										
M-D A310		PANEL ASSEMBLY: SM-D-603157; 80063	ea		1										
X2-F A311	5305-054-6655	SCREW, MACHINE: SAME AS A221	ea		2										
X2-F A312	5305-054-6652	SCREW, MACHINE: SAME AS A187	ea		2										
X2-F A313	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		10										
X2-F A314		WASHER, LOCK: SAME AS A138	ea		8										

SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F A315	5925-815-3319	CIRCUIT BREAKER: MP164A; SM-C-602934; 76374	ea		1	*	*	2	*	*	2	8	3		CB1
P-O A316	6240-155-7836	LAMP, INCANDESCENT: MS25237-327; 96906	ea		1	*	2	2	*	2	2	12	5		DS1a
P-O A317	5920-851-9476	FUSE CARTRIDGE: F02B32V5A; 81349	ea		2	4	11	20	3	4	5	242	200		F1
P-O A318	5920-727-1452	FUSE CARTRIDGE: F03B32V10A; 81349	ea		1	2	6	11	2	2	3	130	100		F2
P-O A319	5920-199-9498	FUSE, CARTRIDGE: F02B250V1/2A; 81349	ea		1	2	6	11	2	2	3	130	100		F3
P-O A320	5920-851-9476	FUSE CARTRIDGE: SAME AS A317	ea		REF										F4
P-O A321	5920-755-3656	FUSE CARTRIDGE: F03B32V30A; 81349	ea		2	4	11	20	3	4	5	242	200		F5
P-O A322	5920-755-3656	FUSE CARTRIDGE: SAME AS A321	ea		REF										F6
P-F A323	6625-643-1800	VOLTMETER: MR26W050DCVVR; 81349	ea		1	*	2	2	*	2	2	12	5		M1
P-F A324	5930-665-1514	SWITCH TOGGLE: MS35058-22; 96906	ea		4	*	*	2	*	*	2	10	4		S1
P-F A325	5930-655-1514	SWITCH, TOGGLE: SAME AS A324	ea		REF										S2
P-F A326	5930-655-1514	SWITCH, TOGGLE: SAME AS A324	ea		REF										S3
P-F A327	5930-655-1514	SWITCH, TOGGLE: SAME AS A324	ea		REF										S4
P-F A328	5930-822-3337	SWITCH TOGGLE: 8784K6; SM-C-603052-2; 15605	ea		2	*	*	2	*	*	2	10	4		S5
P-F A329	5930-822-3337	SWITCH TOGGLE: SAME AS A328	ea		REF										S6
M-H A330		INSULATOR STRIP: SM-C-603012-2; 80063	ea		1										TB1
X2-F A331	5305-059-3662	SCREW, PAN HEAD: MS51958-66; 96906	ea		2										
X2-F A332		WASHER, SHOULDER: SM-C-603159-1; 80063	ea		4										
X2-F A333	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		4										
X2-F A334	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		4										
X2-F A335		WASHER, LOCK: SAME AS A082	ea		2										
M-H A336		INSULATOR STRIP: SM-C-603051; 80063	ea		1										TB2
X2-F A337	5305-059-3662	SCREW PAN HEAD: SAME AS A331	ea		2										
X2-F A338		WASHER, SHOULDER: SAME AS A332	ea		4										
X2-F A339	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		2										
X2-F A340	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		4										
X2-F A341		WASHER, LOCK: SAME AS A082	ea		2										
P-F A342	6210-813-8265	LAMPHOLDER: LH73; 81349	ea		1	*	*	*	*	*	*	5	2		XDS1
P-F A343	5920-655-1154	FUSEHOLDER: FHL18G2; 81349	ea		4	*	2	2	*	2	2	16	8		XF1

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F A344	5920-655-1154	FUSEHOLDER: SAME AS A343	ea		REF										XF2
P-F A345	5920-655-1154	FUSEHOLDER: SAME AS A343	ea		REF										XF3
P-F A346	5920-655-1154	FUSEHOLDER: SAME AS A343	ea		REF										XF4
P-F A347	5920-962-9874	FUSEHOLDER: FHL30G2; 81349	ea		2	*	2	2	*	2	2	13	6		XF5
P-F A348	5920-962-9874	FUSEHOLDER: SAME AS A347	ea		REF										XF6
P-O A349	6210-023-7030	LENS, PANEL LIGHT: LC12RT; 81349	ea		1	*	*	2	*	*	2	8	3		
M-D A350		BAR, BUS: SM-C-603022; 80063	ea		2										
X2-F A351	5305-071-1312	SCREW, MACHINE: MS51957-76; 96906	ea		4										
X2-F A352	5310-209-1498	WASHER, FLAT: SAME AS A132	ea		4										
X2-F A353	5310-543-2740	WASHER, LOCK: MS35333-74; 96906	ea		4										
X2-F A354	5305-059-3655	SCREW, MACHINE: MS51958-59; 96906	ea		28										
X2-F A355	5310-543-5933	WASHER, LOCK: MS35333-73; 96906	ea		28										
M-D A356		PANEL SHIELD: SM-D-603158; 80063	ea		1										
X2-H A357	5305-054-6651	SCREW, MACHINE: MS51957-27; 96906	ea		8										
X2-H A358	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		8										
X2-H A359		WASHER, LOCK: SAME AS A138	ea		8										
M-D A360		SHIELD ASSEMBLY: SM-B-603429; 80063	ea		1										
X2-F A361	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		4										
X2-F A362		WASHER, LOCK: SAME AS A082	ea		4										
X2-F A363	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		4										
X2-F A364	5305-059-3659	SCREW, MACHINE: SAME AS A142	ea		4										
M-D A365		BRACKET ASSEMBLY: SM-D-603291; 80063	ea		1										
X2-H A366		WASHER, LOCK: SAME AS A006	ea		2										
X2-H A367	5305-021-3616	SCREW, MACHINE: SAME AS A030	ea		2										
X2-H A368	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		2										
M-D A369		GROUND ROD BRACKET ASSEMBLY: SM-D-603287; 80063	ea		1										
X2-H A370		WASHER, LOCK: SAME AS A006	ea		4										
X2-H A371	5305-021-3616	SCREW, MACHINE: SAME AS A030	ea		4										
X2-H A372	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		4										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CMTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D A373		BRACKET ASSEMBLY: SM-D-603288; 80063	ea		1										
M-D A374		CLAMP: SM-C-603290; 80063	ea		2										
X2-F A375	5310-080-8495	NUT, WING: MS35425-39; 96906	ea		2										
P-F A376	5340-089-4061	PIN, QUICK RELEASE: SM-C-603391; 80063	ea		1	*	*	*	*	*	*	4	1		
X1 A377		PIN: MS17990C605; 96906	ea		1										
X1 A378		CHAIN: SAME AS A147	ea		1										
M-D A379		ARM ASSEMBLY: SM-D-603364; 80063	ea		2										
X2-H A380	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		2										
X2-F A381	5315-959-7692	PIN, STRAIGHT HEADED: MS20392-3C63; 96906	ea		2										
X2-F A382	5315-815-1405	PIN, COTTER: SAME AS A266	ea		2										
M-D A382A		STRAP, WEBBING: SM-C-603653; 80063	ea		1										
M-D A383		ARM ASSEMBLY: SM-D-603362; 80063	ea		2										
X2-H A384	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		4										
X2-F A385	5315-959-7692	PIN STRAIGHT HEADED: SAME AS A381	ea		4										
X2-F A386	5315-815-1405	PIN COTTER: SAME AS A266	ea		4										
P-F A387	5340-089-4063	PIN, QUICK RELEASE: SM-C-603390; 80063	ea		3	*	2	2	*	2	2	12	5		
X1 A388		PIN: MS17990C407; 96906	ea		3										
X1 A389		CHAIN: SAME AS A147	ea		3										
M-D A390		PLATE: SM-C-603420; 80063	ea		1										
X2-F A391		NUT, PLAIN, HEXAGONAL: MS35691-3; 96906	ea		4										
X2-F A392		WASHER, LOCK: SAME AS A006	ea		4										
X2-F A393		SCREW MACHINE: SAME AS A128	ea		4										
X2-F A394	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		4										
X A395	5985-937-6719	SUPPORT ANTENNA: SM-D-603560; 80063	ea		1										
X2-F A396		NUT, PLAIN, HEXAGONAL: SAME AS A391	ea		6										
X2-F A397	5310-515-7449	WASHER, FLAT: SAME AS A126	ea		6										
X2-F A398		WASHER, LOCK: SAME AS A006	ea		6										
X2-F A399		SCREW, MACHINE: SAME AS A128	ea		6										
X A400		BRACKET ANTENNA: SAME AS A129	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CMTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H A401		SCREW, SHOULDER: SAME AS A130	ea		2										
X2-H A402		WASHER, LOCK: SAME AS A006	ea		2										
X2-H A403	5310-209-1498	WASHER, FLAT: SAME AS A132	ea		2										
X2-H A404	5310-275-5512	NUT, PLAIN, HEXAGONAL: SAME AS A133	ea		2										
X2-H A405	5310-183-4355	WASHER, FLAT: SAME AS A134	ea		2										
X A406		SUPPORT: SAME AS A135	ea		1										
P-F A407	5340-089-4062	PIN, QUICK RELEASE: SAME AS A141	ea		2										
X2-F A408	5305-059-3659	SCREW, MACHINE: SAME AS A142	ea		2										
X2-F A409		WASHER, LOCK: SAME AS A082	ea		2										
X2-F A410	5310-167-0801	WASHER, FLAT: SAME AS A144	ea		2										
X2-F A411	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		2										
X1 A412		PIN QUICK RELEASE: SAME AS A146	ea		2										
X1 A413		CHAIN: SAME AS A147	ea		2										
M-D A414		BRACKET ASSEMBLY CLIP: SM-B-603368; 80063	ea		8										
M-D A415		BRACKET, MOUNTING: SM-C-603366; 80063	ea		8										
X2-H A416		WASHER, LOCK: SAME AS A006	ea		16										
X2-H A417	5305-021-3620	SCREW, MACHINE: SAME AS A018	ea		16										
X2-H A418	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		16										
M-D A419		ARM ASSEMBLY, LONG: SM-D-603363; 80063	ea		2										
X2-F A420	5315-959-7692	PIN STRAIGHT HEADED: SAME AS A381	ea		2										
X2-F A421	5315-815-1405	PIN COTTER: SAME AS A266	ea		2										
X2-F A422	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		2										
M-D A423		ARM ASSEMBLY, SHORT: SM-D-603365; 80063	ea		2										
X2-F A424	5315-959-7692	PIN STRAIGHT HEADED: SAME AS A381	ea		2										
X2-F A425	5315-815-1405	PIN COTTER: SAME AS A266	ea		2										
X2-F A426	5310-880-5983	WASHER FLAT: SAME AS A008	ea		2										
M-D A427		BRACKET, LATCH: SM-B-603654; 80063	ea		1										
X2-H A428	5310-515-7449	WASHER, FLAT: SAME AS A126	ea		1										
X2-H A429		WASHER, LOCK: SAME AS A006	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D A430		SCREW, ASSEMBLY, SHOULDER: SM-B-603584; 80063	ea		1										
M-D A431		BRACKET, HINGE: SM-B-603688; 80063	ea		2										
X2-H A432	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		4										
X2-H A433		WASHER, LOCK: SAME AS A115	ea		4										
X2-H A434	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		4										
X2-H A435	5305-054-6670	SCREW, MACHINE: MS51957-45; 96906	ea		4										
M-D A436		TABLE TOP ASSEMBLY: SM-D-603691; 80063	ea		1										
M-D A436A		TABLE TOP: SM-D-603686; 80063	ea		1										
X2-H A436B		PIN, STRAIGHT: MS20392-3C19; 96906	ea		2										
X2-H A436C	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		2										
X2-H A436D	5315-815-1405	PIN COTTER: SAME AS A266	ea		2										
M-H A441		GASKET: SM-C-603568; 80063	ea		1										
P-F A442	5935-728-3804	ADAPTER, CONNECTOR: MS90159-30E; 96906	ea		1	*	*	2	*	*	2	10	4		
P-F A443	5935-089-3573	COVER, ELECTRICAL CONNECTOR: SAME AS A140	ea		1										
M-D A444		HOOK, HEADSET-MICROPHONE: SM-B-603537; 80063	ea		1										
X2-H A445		WASHER, LOCK: SAME AS A138	ea		2										
X2-H A446	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		2										
X2-F A447	4730-909-8627	CLAMP, HOSE: MS35842-13; 96906	ea		2										
X2-F A448	5310-271-4644	NUT, PLAIN, HEXAGONAL: SAME AS A139	ea		2										
X2-F A449		ROPE: JAN196; SM-C-603530-002; 75165	ft		5										
M-D A450		HANGER, SLEEVING: SM-B-603340; 80063	ea		1										
X2-F A451	5305-059-3662	SCREW, PAN HEAD: SAME AS A331	ea		2										
X2-F A452	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		2										
X2-F A453		WASHER, LOCK: SAME AS A082	ea		2										
X2-F A454	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		2										
X2-F A455		DOOR VIEWER: D50; SM-C-603035; 23404	ea		1										
X2-F A456		COMBINATION LOCK: R6735; 53085	ea		1										
P-F A457	5935-201-3173	CONNECTOR, RECEPTACLE, ELECTRICAL: 5552B; SM-C-603398; 74545	ea		1	*	*	2	*	*	2	10	4		
M-H A458		CUSHION: SM-C-603659; 80063	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D A459		COVER ASSEMBLY: SM-C-603332; 80063	ea		1										
M-D A460		COVER: SM-C-603331; 80063	ea		1										
M-D A461		CAN ASSEMBLY, INNER: SM-C-603359; 80063	ea		1										
M-H A462		GASKET RUBBER: SM-C-603334; 80063	ea		1										
X1 A463		CHAIN: SAME AS A147	ea		1										
X2-F A464	5310-080-8495	NUT, WING: SAME AS A375	ea		1										
M-D A465		PLATE BACKING TOP: SM-B-603412; 80063	ea		1										
X2-F A466	5305-050-9237	SCREW, MACHINE: MS51957-71; 96906	ea		2										
X2-F A467	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		4										
X2-F A468		WASHER, LOCK: SAME AS A082	ea		2										
X2-F A469	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		2										
M-D A470		PLATE, BACKING TOP: SM-B-603413; 80063	ea		1										
X2-F A471	5305-050-9237	SCREW, MACHINE: SAME AS A466	ea		2										
X2-F A472	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		4										
X2-F A473		WASHER, LOCK: SAME AS A082	ea		[illegible]										
X2-F A474	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		[illegible]										
M-D A475		PLATE BACKING BOTTOM: SM-B-603414; 80063	ea		1										
X2-H A476	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		4										
X2-H A477		WASHER, LOCK: SAME AS A006	ea		4										
X2-H A478		SCREW, MACHINE: SAME AS A128	ea		4										
X2-H A479	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		[illegible]										
M-D A480		PLATE, BACKING, BOTTOM: SM-B-603415; 80063	ea		1										
X2-H A481	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		4										
X2-H A482		WASHER, LOCK: SAME AS A006	ea		4										
X2-H A483		SCREW MACHINE: SAME AS A128	ea		4										
X2-H A484	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		8										
X2-F A485		PLUG, DRAIN: EXP8-83; SM-C-603435; 01943	ea		1										
X2-F A486		CAP, ASSEMBLY DUST: SM-C-603571; 80063	ea		1										
X2-F A487		CAP, CONNECTOR: MS87006-33; 96906	ea		1										

SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F A488		CAP, DUST: ADCH-4W/SC-6; SM-C-603541; 78357	ea		1										
X2-F A489	4730-618-7030	NIPPLE: BPHN4-4M; SM-C-603540; 78357	ea		1										
M-D A490		ROD, CURTAIN MOUNTING: SM-D-603501; 80063	ea		1										
X2-F A491	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		2										
X2-F A492		WASHER, LOCK: SAME AS A082	ea		2										
X2-F A493	4920-741-8569	FERRULE: 1988-2; SM-B-603550; 71279	ea		2										
M-D A494		SHELF ASSEMBLY: SM-B-603063; 80063	ea		2										
X2-H A495	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		16										
X2-H A496		WASHER, LOCK: SAME AS A006	ea		16										
X2-H A497	5305-702-4523	SCREW, MACHINE: SAME AS A007	ea		16										
X2-H A498	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		32										
M-D A499		SHELF ASSEMBLY: SM-D-603162; 80063	ea		2										
M-D A500		ANGLE, GUIDE: SM-C-603163; 80063	ea		4										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H A501	5305-054-6654	SCREW, PAN HEAD: SAME AS A136	ea		12										
X2-H A502		WASHER, LOCK: SAME AS A138	ea		12										
X2-H A503	5310-722-5998	WASHER, FLAT: MS15795-805; 96906	ea		12										
X2-H A504	5310-271-4644	NUT, PLAIN, HEXAGONAL: SAME AS A139	ea		12										
M-D A505		PLATE, SLIDE: SM-C-603164; 80063	ea		4										
X2-H A506		SCREW MACHINE: SAME AS A112	ea		20										
X2-H A507		WASHER, LOCK: SAME AS A138	ea		20										
X2-H A508	5310-722-5998	WASHER, FLAT: SAME AS A503	ea		20										
X2-H A509	5310-271-4644	NUT, PLAIN, HEXAGONAL: SAME AS A139	ea		20										
M-D A510		PLATE, SLIDE: SM-C-603165; 80063	ea		2										
X2-H A511	5305-765-4352	SCREW MACHINE: SAME AS A112	ea		4										
X2-H A512		WASHER, LOCK: SAME AS A138	ea		4										
X2-H A513	5310-722-5998	WASHER, FLAT: SAME AS A503	ea		4										
X2-H A514	5310-271-4644	NUT, PLAIN, HEXAGONAL: SAME AS A139	ea		4										
M-D A515		BRACKET, ANGLE: SM-C-603166; 80063	ea		4										
X2-H A516	5305-059-3660	SCREW, PAN HEAD: MS51958-64; 96906	ea		8										
X2-H A517		WASHER, LOCK: SAME AS A082	ea		8										
X2-H A518	5310-619-1148	WASHER, FLAT: SAME AS A154	ea		8										
X2-H A519	5310-270-8810	NUT, PLAIN HEXAGONAL: SAME AS A083	ea		8										
X2-F A520		PIN, SHOCK: SM-B-603167; 80063	ea		4										
X2-F A521		NUT, PLAIN HEXAGONAL: MS35691-11; 96906	ea		4										
X2-F A522		WASHER, LOCK: SAME AS A045	ea		4										
X2-F A523	5310-625-5756	WASHER, FLAT: SAME AS A044	ea		4										
M-D A524		CLAMP: SM-C-603168; 80063	ea		4										
X2-F A525		SCREW, SHOULDER: SM-B-603457; 80063	ea		4										
M-D A526		PLATE: SM-B-603402; 80063	ea		1										
M-D A527		MOUNTING ASSEMBLY FOR C-434GRC: SM-B-603061; 80063	ea		1										
X2-H A528	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		6										
X2-H A529		WASHER, LOCK: SAME AS A115	ea		6										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H A530	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		6										
X2-H A531	5305-054-6651	SCREW MACHINE: SAME AS A357	ea		6										
M-D A532		MOUNT ASSEMBLY: SM-D-603400; 80063	ea		1										
M-D A533		RAIL: SM-B-603403; 80063	ea		4										
X2-H A534	5305-764-0064	SCREW MACHINE: MS51959-32; 96906	ea		12										
X2-H A535	5310-722-5998	WASHER, FLAT: SAME AS A503	ea		12										
X2-H A536		WASHER LOCK: SAME AS A138	ea		12										
X2-H A537	5310-271-4644	NUT, PLAIN, HEXAGONAL: SAME AS A139	ea		12										
M-D A538		CLAMP: SM-B-603404; 80063	ea		2										
M-D A539		SCREW, ASSEMBLY, SHOULDER: SAME AS A430	ea		2										
X2-H A539A	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		2										
P-F A540	5930-832-6202	SWITCH, PUSH-PULL: C2-1023; SM-C-603217; 81640	ea		2	*	2	2	*	2	2	19	10		S1a
P-F A540A	5930-832-6202	SWITCH, PUSH-PULL: SAME AS A540	ea		REF										S2a
M-D A541		COVER: SM-C-603405; 80063	ea		2										
X2-H A542	5305-763-6961	SCREW MACHINE: MS51959-26; 96906	ea		6										
X2-H A543		WASHER, LOCK: SAME AS A138	ea		4										
X2-H A544	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		4										
X2-H A545	5305-054-6651	SCREW, MACHINE: SAME AS A357	ea		4										
X2-O A546	7230-937-7409	CURTAIN, BLACKOUT: SM-D-603260; 80063	ea		1										
X2-F A547		SLEEVING, INSULATOR: SM-B-603276; 80063	ea		1										
X2-F A548		CAP, PROTECTIVE: SM-C-603556; 80063	ea		1										
M-D A549		PLATE: SM-B-603439; 80063	ea		1										
X2-F A550		FASTENER, STUD: SM-B-603563; 94222	ea		4										
X2-F A551	5310-845-5472	WASHER, RING RETAINER: SM-C-603392-2; 94222	ea		4										
M-H A552		GASKET: SM-B-603436; 80063	ea		1										
X2-F A553		CHAIN: SM-B-603492; 83014	ea		1										
X2-H A554	5305-059-3659	SCREW MACHINE: SAME AS A142	ea		1										
X2-H A555	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		1										
X2-H A556		WASHER, LOCK: SAME AS A082	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H A557	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		1										
X2-F A558		WASHER, SEALING: NA1598CR3; 80205	ea		1										
X2-F A560		COUPLING: SM-C-603440; 80063	ea		1										
X2-F A561		FASTENER, STUD: SM-B-603562; 94222	ea		4										
X2-F A562	5310-775-5245	WASHER, RING RETAINER: 82-46-101-39; SM-C-603392-1; 94222	ea		8										
X2-F A563	4730-937-7467	EXHAUST HOSE, SHELTER: SM-C-603458; 80063	ea		1										
X2-F A564	4730-909-8627	CLAMP, HOSE: SAME AS A447	ea		1										
X2-F A565		HOSE: SM-B-603554; 80063	ea		1										
X2-F A566	4730-909-8627	CLAMP, HOSE: SAME AS A447	ea		2										
X2-F A567		COUPLING PIPE: SM-B-603144; 80063	ea		1										
X2-F A568		PIPE, THREADED: SM-B-603143; 80063	ea		1										
X2-F A569	2590-473-6331	GAS, CAN HOLDER BRACKET: D6566675; 80063	ea		1										
X2-H A570		WASHER LOCK: SAME AS A006	ea		4										
X2-H A571	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		4										
X2-H A572		SCREW MACHINE: SAME AS A128	ea		4										
X2-H A573	5310-880-5983	WASHER FLAT: SAME AS A008	ea		8										
M-D A574		STORAGE BOX ASSEMBLY: SM-D-603241; 80063	ea		1										
X2-H A575		WASHER LOCK: SAME AS A006	ea		6										
X2-H A576	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		6										
X2-F A577	5305-207-8253	SCREW, CAP: MS35307-308; 96906	ea		6										
M-D A578		BOX ASSEMBLY: SM-D-603240; 80063	ea		1										
M-D A579		DOOR ASSEMBLY: SM-C-603237; 80063	ea		3										
X2-F A580		FASTENER, PUSHBUTTON: SM-C-603265; 08524	ea		6										
M-D A581		STORAGE BOX ASSEMBLY: SM-D-603320; 80063	ea		1										
X2-H A582		WASHER LOCK: SAME AS A006	ea		6										
X2-H A583	5310-880-5983	WASHER FLAT: SAME AS A008	ea		6										
X2-F A584	5305-207-8253	SCREW, CAP: SAME AS A577	ea		6										
M-D A585		BOX ASSEMBLY: SM-D-603319; 80063	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D A586		DOOR ASSEMBLY: SM-C-603322; 80063	ea		1										
X2-F A587		FASTENER, PUSHBUTTON: SAME AS A580	ea		2										
M-D A588		DOOR ASSEMBLY: SAME AS A579	ea		2										
X2-F A589		FASTENER, PUSHBUTTON: PL500-1-2; 08524	ea		4										
M-D A590		PLATE ASSEMBLY, MOUNTING: SM-D-603408; 80063	ea		1										
X2-H A591	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		7										
X2-H A592		WASHER, LOCK: SAME AS A115	ea		7										
X2-F A593	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		7										
X2-F A594	5305-727-8834	SCREW MACHINE: MS51959-48; 96906	ea		6										
X2-F A595	5305-054-6670	SCREW MACHINE: SAME AS A435	ea		1										
X2-F A596		SLIDE, PLATE: SM-C-603295; 80063	ea		2										
X2-F A597		SLIDE, STORAGE: SM-C-603294; 80063	ea		2										
X2-H A598	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		12										
X2-H A599		WASHER, LOCK: SAME AS A115	ea		12										
X2-F A600	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		12										
X2-F A601	5305-727-8834	SCREW MACHINE: SAME AS A594	ea		12										
M-D A602		STOP: SM-B-603292; 80063	ea		10										
X2-F A603		SCREW: MS51959-43; 96906	ea		20										
M-D A604		BRACKET MOUNTING: SM-B-603564; 80063	ea		1										
X2-H A605		WASHER, LOCK: SAME AS A138	ea		4										
X2-H A606	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		4										
X2-H A607	5305-054-6651	SCREW MACHINE: SAME AS A357	ea		2										
X2-F A608	5305-054-6656	SCREW, MACHINE: MS51957-32; 96906	ea		2										
P-F A609	5930-519-8144	SWITCH: MS16106-1; 96906	ea		1	*	*	*	*	*	*	8	3		
M-D A610		BRACKET, LOCK: SM-C-603657; 80063	ea		1										
X2-F A611	4730-908-6292	CLAMP, HOSE: MS35842-14; 96906	ea		2										
X2-F A612		FASTENER, CHAIN, DOOR: SM-C-603033; 80063	ea		2										
M-D A613		CLIP, TOP: SM-C-603266; 80063	ea		1										
M-D A614		STOP: SM-B-603267; 80063	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CMTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H A615	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		2										
X2-H A616		WASHER, LOCK: SAME AS A082	ea		2										
X2-F A617	5305-059-3663	SCREW MACHINE: MS51958-67; 96906	ea		2										
M-D A618		CLIP, BOTTOM: SM-C-603268; 80063	ea		1										
X2-H A619	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		2										
X2-H A620		WASHER, LOCK: SAME AS A082	ea		2										
X2-F A621	5305-059-3663	SCREW MACHINE: SAME AS A617	ea		2										
X2-F A622		HOSE EXHAUST: SM-C-603371; 80063	ea		1										
X2-F A623	4730-908-6292	CLAMP, HOSE: SAME AS A611	ea		2										
M-D A624		SCREW, ASSEMBLY, SHOULDER: SAME AS A430	ea		5										
X2-H A625	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		5										
X2-F A626	5315-815-1405	PIN, COTTER: SAME AS A266	ea		5										
M-D A627		HANDLE, SCREW: SM-B-603582; 80063	ea		5										
X2-F A628		PIN, GROOVED: MS35678-1; 96906	ea		10										
M-D A629		SCREW, SHOULDER: SM-B-603583; 80063	ea		5										
M-D A630		CLAMP: SM-C-603404; 80063	ea		2										
M-D A631		EQUIPMENT RACK ASSEMBLY: SM-D-603494; 80063	ea		1										
X2-H A632	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		8										
X2-H A633		WASHER, LOCK: SAME AS A006	ea		8										
X2-H A634	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		16										
X2-H A635	5305-702-4523	SCREW MACHINE: SAME AS A007	ea		8										
M-D A636		MOUNTING PLATE ASSEMBLY: SM-D-603525; 80063	ea		1										
X2-H A637	5310-685-3744	WASHER FLAT: SAME AS A116	ea		8										
X2-H A638		WASHER LOCK: SAME AS A115	ea		8										
X2-F A639	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		8										
X2-F A640	5305-727-8834	SCREW MACHINE: SAME AS A594	ea		8										
M-D A641		PLATE ASSEMBLY: SM-D-603497; 80063	ea		1										
M-D A642		LEVER: SM-C-603495; 80063	ea		1										
X2-F A643		SPRING: MS24586C130; 96906	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F A644		SCREW, SHOULDER: G42-20; SM-B-603546; 00328	ea		1										
X2-F A645		WASHER: SM-B-603520; 80063	ea		1										
X2-H A646	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		1										
X2-H A647		WASHER, LOCK: SAME AS A082	ea		1										
X2-H A648	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		1										
X2-F A649		SLIDE, PLATE: SM-D-603511; 80063	ea		2										
X2-F A650		SLIDE, SHELF: SM-D-603510; 80063	ea		2										
X2-H A651	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		8										
X2-H A652		WASHER, LOCK: SAME AS A115	ea		8										
X2-F A653	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		8										
X2-F A654	5305-727-8834	SCREW, MACHINE: SAME AS A594	ea		8										
M-D A655		SHELF EQUIPMENT: SM-D-603480; 80063	ea		1										
X2-H A656	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		8										
X2-H A657		WASHER, LOCK: SAME AS A006	ea		8										
X2-H A658	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		16										
X2-H A659	5305-702-4523	SCREW MACHINE: SAME AS A007	ea		8										
P-F A660	5340-089-4063	PIN, QUICK RELEASE: SAME AS A387	ea		2										
X2-H A661	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		2										
X2-H A662		WASHER, LOCK: SAME AS A115	ea		2										
X2-F A663	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		2										
X2-F A664	5305-054-6670	SCREW, MACHINE: SAME AS A435	ea		2										
X2-F A665		SLIDE SHELF, LEFT HAND: SM-D-603507; 80063	ea		1										
X2-H A666	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		10										
X2-H A667		WASHER, LOCK: SAME AS A115	ea		10										
X2-F A668	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		10										
X2-F A669	5305-727-8834	SCREW, MACHINE: SAME AS A594	ea		10										
X2-F A670		SLIDE SHELF, RIGHT HAND: SM-D-603506; 80063	ea		1										
X2-H A671	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		10										
X2-H A672		WASHER, LOCK: SAME AS A115	ea		10										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F A673	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		10										
X2-F A674	5305-727-8834	SCREW MACHINE: SAME AS A594	ea		10										
X2-F A675		SLIDE PLATE, RIGHT HAND: SM-C-603508; 80063	ea		1										
X2-F A676		SLIDE PLATE, LEFT HAND: SM-C-603509; 80063	ea		1										
M-D A677		PLATE ASSEMBLY MOUNTING: SM-D-603505; 80063	ea		1										
X2-H A678	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		8										
X2-H A679		WASHER LOCK: SAME AS A115	ea		8										
X2-F A680	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		8										
X2-F A681	5305-727-8834	SCREW MACHINE: SAME AS A594	ea		8										
M-D A682		BIN ASSEMBLY CHAD: SM-C-603526; 80063	ea		1										
M-D A683		BIN, CHAD: SM-C-603527; 80063	ea		1										
X2-F A684		KNOB: 930DC; SM-B-603553; 73507	ea		1										
X2-H A685	5310-880-5978	WASHER, FLAT: SAME AS A172	ea		1										
X2-H A686		WASHER, LOCK: SAME AS A115	ea		1										
X2-F A687	5305-054-6669	SCREW MACHINE: SAME AS A245	ea		1										
X2-F A688		STUD: P698-447; SM-B-603552; 78553	ea		1										
X2-H A689	5305-054-6651	SCREW MACHINE: SAME AS A357	ea		1										
X2-H A690		WASHER, LOCK: SAME AS A138	ea		1										
X2-F A691	5310-638-9857	WASHER, FLAT: AN960C6L; 88044	ea		1										
A-F-R A692	4120-730-7072	AIR CONDITIONER: SM-D-603621; 6000 BTU/HR, 115V, 60 cps (This item is nonexpendable)	ea		1										
X2-F A693	5305-059-3662	SCREW, PAN HEAD: SAME AS A331	ea		13										
X2-H A694	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		13										
X2-H A695		WASHER, LOCK: SAME AS A082	ea		13										
X2-H A696		WASHER, LOCK: SAME AS A006	ea		5										
X2-H A697	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		5										
X2-H A698	5310-515-7449	WASHER, FLAT: SAME AS A126	ea		5										
M-D A700		BRACKET CONDENSER MOUNTING: SM-C-603483; 80063	ea		1										
X2-F A701	5305-059-3660	SCREW, PAN HEAD: SAME AS A516	ea		4										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CMTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
XB-H A702		WASHER, LOCK: SAME AS A082	ea		2										
XB-H A703	5310-167-0801	WASHER, FLAT: SAME AS A144	ea		4										
M-D A704		BRACKET, EVAPORATOR, RIGHT: SM-C-603481; 80063	ea		1										
XB-F A705	5305-059-3660	SCREW, PAN HEAD: SAME AS A516	ea		4										
XB-H A706		WASHER, LOCK: SAME AS A082	ea		4										
XB-H A707	5310-167-0801	WASHER, FLAT: SAME AS A144	ea		4										
M-D A708		BRACKET, EVAPORATOR, LEFT: SM-C-603482; 80063	ea		1										
XB-F A709	5305-059-3660	SCREW, PAN HEAD: SAME AS A516	ea		4										
XB-H A710		WASHER, LOCK: SAME AS A082	ea		4										
XB-H A711	5310-167-0801	WASHER, FLAT: SAME AS A144	ea		4										
A-F-B A712	5815-879-6191	BOX ASSEMBLY, AC ENTRANCE: SM-D-602956; 80063	ea		1										
XB-H A713	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		12										
XB-F A714		WASHER, LOCK: SAME AS A082	ea		12										
XB-F A715	5305-059-3660	SCREW, PAN HEAD: SAME AS A516	ea		12										
M-D A716		BOX ASSEMBLY: SM-D-603219; 80063	ea		1										
M-D A717		COVER: SM-C-603221; 80063	ea		1										
XB-F A718	5310-722-5998	WASHER, FLAT: SAME AS A503	ea		21										
XB-F A719	5305-054-6655	SCREW MACHINE: SAME AS A221	ea		21										
XB-H A720		WASHER, LOCK: SAME AS A138	ea		21										
M-D A721		STANDOFF: SM-B-603222; 80063	ea		1										
M-D A722		CLAMP: SM-B-603223; 80063	ea		1										
XB-F A723	5305-059-3660	SCREW, PAN HEAD: SAME AS A516	ea		1										
XB-H A724	5310-619-1148	WASHER, FLAT: SAME AS A154	ea		1										
XB-H A725		WASHER, LOCK: SAME AS A082	ea		1										
M-D A726		SPACER: SM-B-603224; 80063	ea		1										
P-F A727	5925-924-3578	CIRCUIT BREAKER: AM12MG6-30A250VAC60C4; SM-C-602991; 74193	ea		1	*	*	2	*	*	2	10	4		CB1a
XB-F A728	5305-054-6650	SCREW, PAN HEAD: MS51957-26; 96906	ea		2										
XB-F A729	5310-722-5998	WASHER, FLAT: SAME AS A503	ea		2										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F A730	5925-924-9578	CIRCUIT BREAKER: SAME AS A727	ea		1										CB2
X2-F A731	5305-054-6650	SCREW, PAN HEAD: SAME AS A728	ea		2										
X2-F A732	5310-722-5998	WASHER, FLAT: SAME AS A503	ea		2										
P-F A733	5915-933-1232	FILTER, RADIO INTERFERENCE: RF2438A; SM-C-602960; 13619	ea		2	*	*	2	*	*	2	10	4		FL1a
P-F A734	5915-933-1232	FILTER RADIO INTERFERENCE: SAME AS A733	ea		REF										FL2
P-F A735	5935-827-6940	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3102R32-17PW; 96906	ea		1	*	*	*	*	*	*	5	2		
X2-H A736	5305-054-6671	SCREW, MACHINE: SAME AS A171	ea		4										
X2-H A737	5310-880-5978	WASHER, FLAT: SAME AS A172	ea		4										
X2-H A738		WASHER, LOCK: SAME AS A115	ea		4										
X2-F A739		WASHER SEALING: SAME AS A174	ea		4										
P-F A740	5935-755-3688	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3102R14S7S; 96906	ea		1	*	*	*	*	*	*	5	2		J2
X2-F A741	5305-054-5651	SCREW, PAN HEAD: MS51957-17; 96906	ea		4										
X2-F A742	5310-782-1349	WASHER, FLAT: MS15795-804; 96906	ea		4										
X2-F A743		WASHER, LOCK: MS35338-135; 96906	ea		4										
X2-F A744	5310-271-4642	NUT, PLAIN, HEXAGONAL: MS35649-44; 96906	ea		4										
X2-F A745		GROMMET: MS35490-39; 96906	ea		1										
P-F A746	5330-614-0344	GASKET: SAME AS A213	ea		1										
P-F A747	5340-200-2755	CLAMP, CABLE: HP5N; SM-C-583283; 09922	ea		4	*	*	2	*	*	2	10	4		
X2-H A748	5310-880-5978	WASHER, FLAT: SAME AS A172	ea		1										
X2-H A749		WASHER, LOCK: SAME AS A115	ea		1										
X2-F A750	5305-054-6670	SCREW, MACHINE: SAME AS A435	ea		1										
X2-F A751	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		1										
P-F A752	5340-337-8642	CLAMP, CABLE: HP9N; SM-C-546211; 09922	ea		2	*	*	2	*	*	2	10	4		
X2-H A753	5310-880-5978	WASHER, FLAT: SAME AS A172	ea		2										
X2-H A754		WASHER, LOCK: SAME AS A115	ea		2										
X2-F A755	5305-054-6668	SCREW, PAN HEAD: MS51957-43; 96906	ea		2										
M-D A756		STUD, REAR GROUND: SM-B-603066-2; 80063	ea		1										
X2-H A757	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		4										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F A758	5310-527-3634	WASHER, LOCK: SAME AS A204	ea		4										
X2-F A759	5310-772-3887	NUT, PLAIN HEX: MS1967-1; 96906	ea		4										
P-F A760	5935-581-2889	COVER, CONNECTOR: SAME AS A176	ea		1										
X2-H A761	5305-054-6671	SCREW, MACHINE: SAME AS A171	ea		1										
X2-H A762	5310-880-5978	WASHER, FLAT: SAME AS A172	ea		1										
X2-H A763		WASHER LOCK: SAME AS A115	ea		1										
X2-F A764		WASHER SEALING: SAME AS A174	ea		1										
M-H A765		GASKET, RADIOFREQUENCY: SM-C-603549; 80063	ea		1										
M-F A765A		CABLE, GROUND: (19 in); SM-B-603695; 80063	ea		1										
X2-F A765B	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		1										
X2-F A765C		WASHER, LOCK: SAME AS A006	ea		1										
X2-F A765D	5305-021-3616	SCREW MACHINE: SAME AS A030	ea		1										
X2-F A765E	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		1										
X2-F A765F	5310-543-2740	WASHER, LOCK: SAME AS A353	ea		1										
X2-F A765G		BRAID, FLAT: 5079; SM-B-603360-1; 70903	ft		2										
X2-F A765H	5940-660-3634	TERMINAL LUG: MS25036-57; 96906	ea		1										
X2-F A765J	5940-204-9142	TERMINAL LUG: MS25036-12; 96906	ea		1										
M-F A765K		CABLE, GROUND: (11 in); SM-B-603696; 80063	ea		1										
X2-H A765L	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		1										
X2-F A765N	5305-021-3616	SCREW MACHINE: SAME AS A030	ea		1										
X2-F A765P	5310-543-2740	WASHER, LOCK: SAME AS A353	ea		2										
X2-F A765Q		BRAID, FLAT: SAME AS A765G	ft		1										
X2-F A765R	5940-660-3634	TERMINAL LUG: SAME AS A765H	ea		2										
M-F A765S		CABLE, GROUND: (9 in); SM-B-603738; 80063	ea		1										
X2-F A765T		WASHER, LOCK: MS35335-60; 96906	ea		1										
X2-F A765U		SCREW MACHINE: SM-C-603664-4; 80063	ea		1										
X2-F A765V		BRAID, FLAT: SAME AS A765G	ft		1										
X2-F A765W	5940-204-9142	TERMINAL LUG: SAME AS A765J	ea		1										
X2-F A765X	5940-660-3634	TERMINAL LUG: SAME AS A765H	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CMTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D A777		PLATE: SM-C-603616; 80063	ea		1										
X2-H A778	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		4										
X2-H A779		WASHER, LOCK: SAME AS A082	ea		4										
X2-H A780	5305-059-3659	SCREW MACHINE: SAME AS A142	ea		4										
X2-F A781		ADAPTER, PIPE: 25SP04; SM-B-603514; 30327	ea		1										
X2-F A782		NIPPLE, PIPE: 49X6; SM-B-603565; 04255	ea		1										
A-F-R A787	5995-937-8834	CABLE ASSEMBLY POWER ELECTRICAL CX-10529/U: (2 ft); SM-C-603120; 80063	ea		1										W20
P-F A788	5935-087-4989	CONNECTOR, PLUG, ELECTRICAL: A06-206842; SM-C-603203-1; 07418	ea		1	*	*	*	*	*	*	5	2		W20P1
P-F A789	5935-087-9084	CONNECTOR, PLUG, ELECTRICAL: 14S7P42; 07418	ea		1	*	*	*	*	*	*	5	2		W20P2
P-F A790	6145-935-2574	CABLE, SPECIAL PURPOSE, ELECTRICAL: SM-B-603304; 80063	ft		3	*	80	80	*	80	80	480	200		
M-D A791		BRACKET: SM-C-603608; 80063	ea		1										
X2-H A792	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		3										
X2-H A793	5310-515-7449	WASHER, FLAT: SAME AS A126	ea		3										
X2-H A794		WASHER, LOCK: SAME AS A006	ea		3										
X2-H A795	5305-702-4523	SCREW MACHINE: SAME AS A007	ea		3										
M-D A796		BRACKET: SM-C-603609; 80063	ea		1										
X2-H A797	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		3										
X2-H A798	5310-515-7449	WASHER, FLAT: SAME AS A126	ea		3										
X2-H A799		WASHER, LOCK: SAME AS A006	ea		3										
X2-H A800	5305-021-3620	SCREW MACHINE: SAME AS A018	ea		3										
M-D A801		BRACKET: SM-C-603610; 80063	ea		1										
X2-H A802	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		3										
X2-H A803	5310-515-7449	WASHER, FLAT. SAME AS A126	ea		3										
X2-H A804		WASHER, LOCK: SAME AS A006	ea		3										
X2-H A805	5305-702-4523	SCREW MACHINE: SAME AS A007	ea		3										
M-D A806		BRACKET: SM-C-603611; 80063	ea		1										
X2-H A807	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		3										
X2-H A808	5310-515-7449	WASHER, FLAT: SAME AS A126	ea		3										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H A809		WASHER, LOCK: SAME AS A006	ea		3										
X2-H A810	5305-021-3620	SCREW, MACHINE: SAME AS A018	ea		3										
M-D A811		COVER: SM-D-603615; 80063	ea		1										
X2-H A812	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		12										
X2-H A813		WASHER, LOCK: SAME AS A115	ea		4										
X2-H A814	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		4										
X2-H A815	5305-054-6677	SCREW, PAN HEAD: MS51957-52; 96906	ea		4										
X2-H A816	5330-826-7348	WASHER, SHOULDER: 6527; SM-C-603159-1; 72653	ea		8										
M-D A817		STANDOFF, HEXAGONAL: SM-B-603663; 80063	ea		4										
M-D A818		STRIP, INSULATOR: SM-C-603614; 80063	ea		1										
M-D A819		STRIP, INSULATOR: SM-C-603613; 80063	ea		1										
M-D A820		BAR, BUS: SM-C-603612; 80063	ea		2										
X2-H A821	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		12										
X2-H A822	5305-071-1312	SCREW MACHINE: SAME AS A351	ea		12										
X2-H A823	5310-543-2740	WASHER, LOCK: SAME AS A353	ea		12										
X2-F A824		SHADE, LAMP: 181; SM-C-603569; 77881	ea		2										
P-F A825	6210-889-1732	LAMP, SOCKET: 2126; SM-C-603451; 79725	ea		2	*	*	2	*	*	2	10	4		
X2-F A826		ELBOW, FLAT, MODIFIED: SM-B-603573; 80063	ea		12										
X2-F A827		TEE: G2115; SM-B-603647; 79725	ea		2										
X2-F A828		FITTING, END, BLANK: G2110B; SM-B-603646; 79725	ea		2										
X2-F A829	5895-874-3428	COUPLING, CORNER, INTERNAL: G2117TC; SM-B-603650; 79725	ea		6										
X2-F A830	5975-926-0611	FITTING, END BLANK: G3010B; SM-B-603645; 79725	ea		4										
X2-F A831		ELBOW, ELECTRICAL CONDUIT: G3011; SM-B-603644; 79725	ea		4										
X2-F A832	5975-475-2407	COUPLING, CORNER, INTERNAL: G3017TC; SM-B-603643; 79725	ea		1										
X2-F A833		COVER, RECEPTACLE, SINGLE: G3046A; SM-B-603642; 79725	ea		2										
X2-F A834		COVER, RECEPTACLE, DUPLEX: G3046B; SM-B-603641; 79725	ea		3										
X2-F A835		CONNECTOR, REDUCING, END: G3089E; SM-B-603640; 79725	ea		1										
M-D A836		ANGLE, STOP: SM-B-603596; 80063	ea		2										
X2-F A837		SCREW, MACHINE: MS51960-66; 96906	ea		2										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F A838	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		2										
X2-F A839		WASHER, LOCK: SAME AS A082	ea		2										
X2-F A840	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		2										
M-D A841		TEE, SLIDE: SM-C-603597; 80063	ea		1										
X2-H A842	5310-903-5966	NUT, PLAIN, HEXAGONAL: SAME AS A005	ea		3										
X2-H A843	5310-515-7449	WASHER, FLAT: SAME AS A126	ea		3										
X2-H A844		WASHER, LOCK: SAME AS A006	ea		3										
X2-H A845	5305-021-3620	SCREW, MACHINE: SAME AS A018	ea		3										
M-D A846		ANGLE, SLIDE: SM-C-603598; 80063	ea		1										
X2-H A847	5305-059-3662	SCREW, PAN HEAD: SAME AS A331	ea		2										
X2-H A848	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		2										
X2-H A849		WASHER, LOCK: SAME AS A082	ea		2										
M-D A850		ANGLE, COVER, SUPPORT: SM-C-603599; 80063	ea		1										
X2-H A851	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		2										
X2-H A852		WASHER, LOCK: SAME AS A082	ea		2										
X2-H A853	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		2										
X2-H A854	5305-059-3660	SCREW, PAN HEAD: SAME AS A516	ea		2										
M-D A855		ANGLE, COVER, SUPPORT: SM-C-603600; 80063	ea		1										
X2-H A856	5305-059-3662	SCREW, PAN HEAD: SAME AS A331	ea		2										
X2-H A857	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		2										
X2-H A858		WASHER, LOCK: SAME AS A082	ea		2										
M-D A859		COVER: SM-C-603601; 80063	ea		1										
X2-H A860		SCREW, MACHINE: SAME AS A837	ea		10										
X2-H A861	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		10										
X2-H A862		WASHER, LOCK: SAME AS A082	ea		10										
X2-H A863	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		10										
M-D A864		LATCH: SM-B-603602; 80063	ea		2										
X2-H A865	5310-271-4642	NUT, PLAIN, HEXAGONAL: SAME AS A744	ea		4										
X2-H A866	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		4										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F A864		WASHER, LOCK: SAME AS A138	ea		4										
M-D A866		PLATE, SLIDE: SM-C-603655; 80063	ea		1										
X2-F A867	5305-765-4352	SCREW MACHINE: SAME AS A112	ea		7										
X2-F A870		WASHER, LOCK: SAME AS A138	ea		7										
X2-F A871	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		7										
X2-F A872	5310-271-4644	NUT, PLAIN, HEXAGONAL: SAME AS A139	ea		7										
M-D A873		PLATE, SLIDE: SM-C-603605; 80063	ea		2										
X2-F A874	5305-765-4352	SCREW MACHINE: SAME AS A112	ea		10										
X2-F A875		WASHER, LOCK: SAME AS A138	ea		10										
X2-F A876	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		10										
X2-F A877	5310-271-4644	NUT, PLAIN, HEXAGONAL: SAME AS A139	ea		10										
M-D A878		EQUIPMENT RACK, ASSEMBLY: SM-D-603271; 80063	ea		1										
M-D A879		EQUIPMENT RACK: SM-D-603603; 80063	ea		1										
X2-F A880	5340-840-0954	HANDLE: MS39087-4; 96906	ea		1										
M-D A881		PLATE, BACKUP: SM-B-603593; 80063	ea		1										
X2-F A882	5305-071-1320	SCREW, MACHINE: MS51960-63; 96906	ea		2										
A-F-B A883	5995-937-8620	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10507/G: (4' 5"); SM-C-603101; 80063	ea		1										W1
P-F A884	5935-087-4964	CONNECTOR, PLUG, ELECTRICAL: A16-83S42; SM-C-602949-1; 07418	ea		1	*	*	*	*	*	*	5	2		W1P1
P-F A885	5995-912-5712	CABLE, SPECIAL PURPOSE ELECTRICAL: SC-C-379944; 80063	ft		5	*	80	80	*	80	80	480	200		
X2-F A886	5940-577-3807	TERMINAL LUG: MS25036-45; 96906	ea		2										
X2-F A887	5940-557-1629	TERMINAL LUG: MS25036-49; 96906	ea		1										
A-F-B A888	5995-937-8621	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10508/G: (6' 0"); SM-C-603102; 80063	ea		1										W2
P-F A889	5935-087-5028	CONNECTOR, PLUG, ELECTRICAL: A-16-83SW42; SM-C-602949-2; 07418	ea		1	*	*	*	*	*	*	5	2		W2P1
P-F A890	5995-912-5712	CABLE, SPECIAL PURPOSE ELECTRICAL: SAME AS A885	ft		6										
X2-F A891	5940-617-7860	TERMINAL LUG: YAV18H21F; SM-B-603355; 09922	ea		2										
X2-F A892	5940-557-1629	TERMINAL LUG: SAME AS A887	ea		1										
A-F-B A893	5995-937-8622	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10509/G: (12' 3"); SM-C-603103; 80063	ea		1										W3

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F A894	5935-087-5027	CONNECTOR, PLUG, ELECTRICAL: A16-83SX42; SM-C-602949-3; 07418	ea		1	*	*	*	*	*	*	5	2		W3P1
P-F A895	5995-912-5712	CABLE, SPECIAL PURPOSE ELECTRICAL: SAME AS A885	ft		13										
X2-F A896	5940-617-7860	TERMINAL LUG: SAME AS A891	ea		2										
X2-F A897	5940-557-1629	TERMINAL LUG: SAME AS A887	ea		2										
A-F-R A898	5995-937-8623	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10510/G: (11' 7"); SM-C-603104; 80063	ea		1										W4
P-F A899	5935-087-4993	CONNECTOR, PLUG, ELECTRICAL: A16-83P42; SM-C-602949-4; 07418	ea		1	*	*	*	*	*	*	5	2		W4P1
P-F A900	5995-912-5712	CABLE, SPECIAL PURPOSE ELECTRICAL: SAME AS A885	ft		12										
X2-F A901	5940-617-7860	TERMINAL LUG: SAME AS A891	ea		2										
X2-F A902	5940-557-1629	TERMINAL LUG: SAME AS A887	ea		1										
A-F-R A903	5995-937-8624	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10511/G: (5' 1"); SM-C-603105; 80063	ea		1										W5
P-F A904	5935-087-4986	CONNECTOR, PLUG, ELECTRICAL: A-16-83PW42; SM-C-602949-5; 07418	ea		1	*	*	*	*	*	*	5	2		W5P1
P-F A905	5995-912-5712	CABLE, SPECIAL PURPOSE ELECTRICAL: SAME AS A885	ft		6										
X2-F A906	5940-617-7860	TERMINAL LUG: SAME AS A891	ea		2										
X2-F A907	5940-557-1629	TERMINAL LUG: SAME AS A887	ea		1										
A-F-R A908	5995-937-8625	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10512/G: (5' 6"); SM-C-603106; 80063	ea		1										W6
P-F A909	5935-087-4985	CONNECTOR, PLUG, ELECTRICAL: A16-83PX42; SM-C-602949-6; 07418	ea		1	*	*	*	*	*	*	5	2		W6P1
P-F A910	5995-912-5712	CABLE, SPECIAL PURPOSE ELECTRICAL: SAME AS A885	ea		6										
X2-F A911	5940-577-3807	TERMINAL LUG: SAME AS A886	ea		2										
X2-F A912	5940-577-1629	TERMINAL LUG: SAME AS A887	ea		1										
A-F-R A913	5995-937-8626	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10513/G: (9' 6"); SM-C-603107; 80063	ea		1										W7
P-F A914	5935-087-5031	CONNECTOR, PLUG, ELECTRICAL: A16-109B842; SM-C-602949-8; 07418	ea		1	*	*	2	*	*	2	10	4		W7P1
P-F A915	5935-087-5030	CONNECTOR, PLUG, ELECTRICAL: A26-106P42; SM-C-602949-7; 07418	ea		1	*	*	2	*	*	2	10	4		W7P2
P-F A916	5995-912-5712	CABLE, SPECIAL PURPOSE ELECTRICAL: SAME AS A885	ft		10										
A-F-R A917	5995-935-2545	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10513/G: (7' 6"); SM-C-603108; 80063	ea		1										W8
P-F A918	5935-087-5031	CONNECTOR, PLUG, ELECTRICAL: SAME AS A914	ea		1										W8P1

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F A918	5935-087-5031	CONNECTOR, PLUG, ELECTRICAL: SAME AS A914	ea		1										W8P1
P-F A919	5935-087-5030	CONNECTOR, PLUG, ELECTRICAL: SAME AS A915	ea		1										W8P2
P-F A920	5995-912-5712	CABLE, SPECIAL PURPOSE ELECTRICAL: SAME AS A885	ft		8										
A-F-R A921	5995-935-2542	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10514/G: (6' 9"); SM-C-603109; 80063	ea		1										W9
P-F A922	5935-087-5032	CONNECTOR, PLUG, ELECTRICAL: A16-1098P42; SM-C-602949-11; 07418	ea		1	*	*	2	*	*	2	10	4		W9P1
P-F A923	5935-087-5038	CONNECTOR, PLUG, ELECTRICAL: A26-1068S42; SM-C-602949-10; 07418	ea		1	*	*	2	*	*	2	10	4		W9P2
P-F A924	5995-912-5712	CABLE, SPECIAL PURPOSE ELECTRICAL: SAME AS A885	ft		7										
A-F-R A925	5995-937-8627	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10514/G: (9' 0"); SM-C-603110; 80063	ea		1										W10
P-F A926	5935-087-5032	CONNECTOR, PLUG, ELECTRICAL: SAME AS A922	ea		1										W10P1
P-F A927	5935-087-5038	CONNECTOR, PLUG, ELECTRICAL: SAME AS A923	ea		1										W10P2
P-F A928	5995-912-5712	CABLE, SPECIAL PURPOSE, ELECTRICAL: SAME AS A885	ft		9										
A-F-R A929	5995-935-0396	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10515/G: (7' 0"); SM-C-603112; 80063	ea		1										W12
P-F A930	5935-951-2760	PLUG, TELEPHONE: PJ051R; 81349	ea		1	*	*	2	*	*	2	10	4		W12P1
P-F A931	5935-087-4300	PLUG, TIP: 33-032-6; SM-B-603021-006; 80112	ea		1	*	*	2	*	*	2	10	4		
P-F A932	5935-087-4299	PLUG, TIP: 33-032-5; SM-B-603021-005; 80112	ea		1	*	*	2	*	*	2	10	4		
P-F A933	5935-087-4301	PLUG, TIP: 33-032-2; SM-B-603021-002; 80112	ea		1	*	*	2	*	*	2	10	4		
P-F A934	6145-935-2570	CABLE, RADIOFREQUENCY: SM-B-602994; 80063	ft		7	*	74	74	*	74	74	444	148		
A-F-R A935	5995-937-8461	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10516/G: (4' 0"); SM-C-603113; 80063	ea		1										W13
P-F A936	5935-087-4987	CONNECTOR, PLUG, ELECTRICAL: A26-123PV42; SM-C-602949-13; 07418	ea		1	*	*	*	*	*	*	5	2		W13P1
P-F A937	5935-087-4990	CONNECTOR, PLUG, ELECTRICAL: A26-123SV42; SM-C-602949-12; 07418	ea		1	*	*	*	*	*	*	5	2		W13P2
P-F A938	6145-935-2570	CABLE, RADIOFREQUENCY: SAME AS A934	ft		4										
A-F-R A939	5995-937-8467	CABLE, SPECIAL PURPOSE, ELECTRICAL CX-10517/G: (4' 0"); SM-C-603114; 80063	ea		1										W14
P-F A940	5935-087-4988	CONNECTOR, PLUG, ELECTRICAL: A26-123P42; SM-C-602949-15; 07418	ea		1	*	*	*	*	*	*	5	2		W14P1
P-F A941	5935-087-4991	CONNECTOR, PLUG, ELECTRICAL: A26-123S42; SM-C-602949-14; 07418	ea		1	*	*	*	*	*	*	5	2		W14P2
P-F A942	6145-935-2570	CABLE, RADIOFREQUENCY: SAME AS A934	ft		4										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION — REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
A-F-R A943	5995-937-8462	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10518/G: (6' 0"); SM-C-603115; 80063	ea		1										W15
P-F A944	5935-726-6519	CONNECTOR, PLUG, ELECTRICAL: MS3126F10-6P; 96906	ea		1	*	*	*	*	*	*	5	2		W15P1
P-F A945	6145-935-2571	CABLE, SPECIAL PURPOSE ELECTRICAL: SM-B-602996; 80063	ft		6	*	12	12	*	12	12	60	30		
A-F-R A946	5995-937-8460	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10515/G: (6' 0"); SM-C-603111; 80063	ea		1										W11
P-F A947	5935-951-2760	PLUG, TELEPHONE: SAME AS A930	ea		1										W11P1
P-F A948	5935-087-4300	PLUG, TIP: SAME AS A931	ea		1										
P-F A949	5935-087-4299	PLUG, TIP: SAME AS A932	ea		1										
P-F A950	5935-087-4301	PLUG, TIP: SAME AS A933	ea		1										
P-F A951	6145-935-2570	CABLE, RADIOFREQUENCY: SAME AS A934	ft		6										
A-F-R A952	5995-937-8832	CABLE ASSEMBLY, POWER, ELECTRICAL CX-10528/G: (6' 8"); SM-C-603116; 80063	ea		1										W16
P-F A953	6145-935-2556	CABLE, SPECIAL PURPOSE, ELECTRICAL: SM-B-602995; 80063	ft		7	*	14	14	*	14	14	105	35		
P-F A954	5935-201-3173	CONNECTOR, RECEPTACLE ELECTRICAL: SAME AS A457	ea		1										
X2-F A955	5940-666-3357	TERMINAL LUG: 32050; SM-B-603306; 00779	ea		2										
X2-F A956	5940-503-9995	TERMINAL LUG: MS25036-1; 96906	ea		1										
X2-F A957	5940-577-3711	TERMINAL LUG: MS25036-3; 96906	ea		1										
A-F-R A958	5995-937-8463	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10519/G: (6' 0"); SM-C-603117; 80063	ea		1										W17
P-F A959	5935-283-2950	CONNECTOR, CABLE: U77U; 81349	ea		1	*	2	2	*	2	2	19	10		W11P1
P-F A960	5935-087-4289	CONNECTOR, PLUG, ELECTRICAL: A26-1210P82; SM-C-602949-16; 07418	ea		1	*	*	*	*	*	*	5	2		W17P2
P-F A961	6145-935-2558	CABLE, SPECIAL PURPOSE ELECTRICAL: SM-B-603305; 80063	ft		6	*	20	20	*	20	20	72	30		
A-F-R A962	5995-937-8464	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10520/G: (4' 0"); SM-C-603118; 80063	ea		1										W18
P-F A963	5935-283-2950	CONNECTOR, CABLE: SAME AS A959	ea		2										W18P1
P-F A964	5935-283-2950	CONNECTOR, CABLE: SAME AS A959	ea		REF										W18P2
P-F A965	6145-935-2558	CABLE, SPECIAL PURPOSE, ELECTRICAL: SAME AS A961	ft		4										
A-F-R A966	5995-937-8628	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10521/G: (10' 4"); SM-C-603119; 80063	ea		1										W19
P-F A967	6145-935-2557	CABLE, SPECIAL PURPOSE, ELECTRICAL: SM-B-602999; 80063	ft		11	*	22	22	*	22	22	132	55		

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F A968	5940-503-9995	TERMINAL LUG: SAME AS A956	ea		1										
X2-F A969	5940-577-3711	TERMINAL LUG: SAME AS A957	ea		1										
X2-F A970	5940-557-4398	TERMINAL LUG: MS25036-48; 96906	ea		1										
X2-F A971	5940-666-3357	TERMINAL LUG: SAME AS A955	ea		1										
A-F-R A972	5995-937-8841	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10522/G: (6' 0"); SM-C-603121; 80063	ea		1										W21
P-F A973	6145-935-2557	CABLE, SPECIAL PURPOSE ELECTRICAL: SAME AS A967	ft		6										
X2-F A974	5940-577-3711	TERMINAL LUG: SAME AS A957	ea		1										
X2-F A975	5940-503-9995	TERMINAL LUG: SAME AS A956	ea		1										
X2-F A976		TERMINAL LUG: SAME AS A261A	ea		2										
A-F-R A977	5995-937-8833	CABLE ASSEMBLY, POWER ELECTRICAL CX-10530/G: (9' 10"); SM-C-603122; 80063	ea		1										W22
P-F A978	5935-187-4502	CONNECTOR, RECEPTACLE, ELECTRICAL: UW2020FA00; 81349	ea		1	*	2	2	*	2	2	13	6		W22P1
X2-F A979	5940-204-9142	TERMINAL LUG: SAME AS A765J	ea		1										
X2-F A980	5940-660-3634	TERMINAL LUG: SAME AS A765H	ea		1										
P-F A981	6145-935-2573	CABLE, SPECIAL PURPOSE ELECTRICAL: SM-B-602998; 80063	ft		10	*	20	20	*	20	20	120	50		
A-F-R A982	5995-935-0397	CABLE ASSEMBLY, POWER ELECTRICAL CX-10530/G: (10' 5"); SM-C-603123; 80063	ea		1										W23
P-F A983	5935-187-4502	CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A978	ea		1										W23P1
X2-F A984	5940-204-9142	TERMINAL LUG: SAME AS A765J	ea		1										
X2-F A985	5940-660-3634	TERMINAL LUG: SAME AS A765H	ea		10										
P-F A986	6145-935-2573	CABLE, SPECIAL PURPOSE ELECTRICAL: SAME AS A981	ft		11										
A-F-R A987	5995-937-8616	CABLE ASSEMBLY, POWER ELECTRICAL CX-10531/G: (4' 5"); SM-C-603124; 80063	ea		1										W24
P-F A988	6145-058-8564	WIRE ELECTRICAL, TYPE D-4: SM-B-603001; 80063	ft		5	*	10	10	*	10	10	60	25		
X2-F A989	5940-557-4338	TERMINAL LUG: MS25036-25; 96906	ea		1										
X2-F A990	5940-557-4341	TERMINAL LUG: MS25036-23; 96906	ea		1										
A-F-R A991	5995-937-8048	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10523/G: (6' 0"); SM-C-603125; 80063	ea		1										W25
P-F A992	6145-935-2557	CABLE, SPECIAL PURPOSE ELECTRICAL: SAME AS A967	ft		6										
A-F-R A993	5995-935-2521	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10523/G: (5' 0"); SM-C-603126; 80063	ea		1										W26

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F A994	6145-935-2557	CABLE, SPECIAL PURPOSE ELECTRICAL: SAME AS A967	ft		5										
A-F-R A995	5995-935-2534	LEAD, ELECTRICAL CX-10614/G: SM-C-603127; 80063	ea		1										W27
X2-F A996	5940-557-4341	TERMINAL LUG: SAME AS A990	ea		2										
P-F A997	6145-058-8564	WIRE ELECTRICAL, TYPE D-4: SAME AS A988	ft		5										
A-F-R A998	5995-937-8843	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10524/G: (10' 0"); SM-C-603128; 80063	ea		1										W28
P-F A999	5935-087-4965	CONNECTOR, PLUG, ELECTRICAL: A16-84SW42; SM-C-602949-9; 07418	ea		1	*	2	2	*	2	2	13	6		W28P1

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F B001	5940-577-3711	TERMINAL LUG: SAME AS A957	ea		3										
P-F B002	6145-935-2570	CABLE, RADIOFREQUENCY: SAME AS A934	ft		10										
A-F-R B003	5995-937-8842	CABLE ASSEMBLY SPECIAL PURPOSE ELECTRICAL CX-10525/G: (8 ft 0 in) SM-C-603129; 80063	ea		1										W29
P-F B004	5935-715-2756	CONNECTOR, PLUG, ELECTRICAL: MS3126F10-6S; 96906	ea		1	*	*	2	*	*	2	8	3		W29P1
P-F B005	6145-935-2557	CABLE SPECIAL PURPOSE ELECTRICAL: SAME AS A967	ft		16										
X2-F B006	5940-577-3711	TERMINAL LUG: SAME AS A957	ea		1										
X2-F B007	5940-503-9995	TERMINAL LUG: SAME AS A956	ea		1										
X2-F B008	5940-557-4398	TERMINAL LUG: SAME AS A970	ea		2										
A-F-R B009	5995-937-8844	CABLE ASSEMBLY SPECIAL PURPOSE ELECTRICAL CX-10524/G: (8 ft 8 in) SM-C-603130; 80063	ea		1										W30
P-F B010	5935-087-4965	CONNECTOR, PLUG, ELECTRICAL: SAME AS A999	ea		1										W30P1
X2-F B011	5940-577-3711	TERMINAL LUG: SAME AS A957	ea		2										
P-F B012	6145-935-2570	CABLE RADIOFREQUENCY: SAME AS A934	ft		9										
A-F-R B013	5995-937-8631	CABLE ASSEMBLY SPECIAL PURPOSE ELECTRICAL CX-10526/G: (3 ft 0 in) SM-C-603131; 80063	ea		1										W31
P-F B014	5935-931-4207	CONNECTOR, RECEPTACLE, ELECTRICAL: UW1320FA17; 81349	ea		1	*	*	2	*	*	2	10	4		W31P1
P-F B015	6145-265-6190	CABLE SPECIAL PURPOSE ELECTRICAL: C0212; 81349	ft		3	*	6	6	*	6	6	36	15		
X2-F B016	5940-557-4346	TERMINAL LUG: MS25036-16; 96906	ea		2										
M-H B017		LEAD, ELECTRICAL: 2.9 in; SM-B-500395-1; 80063	ea		1										
M-H B018		LEAD, ELECTRICAL: 2 in; SM-B-500395-2; 80063	ea		1										
A-F-R B019	5995-937-8631	CABLE ASSEMBLY SPECIAL PURPOSE ELECTRICAL CX-10526/G: (3 ft 0 in) SAME AS B013	ea		1										W32
P-F B020	5935-931-4207	CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS B014	ea		1										W32P1
X2-F B021	5940-557-4346	TERMINAL LUG: SAME AS B016	ea		2										
P-F B022	6145-265-6190	CABLE SPECIAL PURPOSE ELECTRICAL: SAME AS B015	ea		3										
M-H B023		LEAD ELECTRICAL (2.9 in): SAME AS B017	ea		1										
M-H B024		LEAD ELECTRICAL (2 in): SAME AS B018	ea		1										
A-F-R B025	5995-937-8614	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10527/G (3 ft 1 in): SM-C-603133; 80063	ea		1										W33
P-F B026	6145-265-6190	CABLE SPECIAL PURPOSE ELECTRICAL: SAME AS B015	ft		4										
X2-F B027	5940-557-4346	TERMINAL, LUG: SAME AS B016	ea		2										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
A-F-R B028	5995-937-0398	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-10527/G (3 ft 4 in): SM-C-603134; 80063	ea		1										W34
P-F B029	6145-265-6190	CABLE SPECIAL PURPOSE ELECTRICAL: SAME AS B015	ft		4										
X2-F B030	5940-557-4346	TERMINAL LUG: SAME AS B016	ea		2										
A-F-R B031	5995-937-8617	CABLE ASSEMBLY POWER ELECTRICAL CX-10533/G (15 ft 8 in): SM-C-603135; 80063	ea		1										W35
P-F B032	5935-805-4991	CONNECTOR, PLUG, ELECTRICAL: MS3106R14S7S; 96906	ea		1	*	*	2	*	*	2	8	3		W35P1
X2-F B033	5940-644-8713	TERMINAL LUG: MS25036-8; 96906	ea		2										
P-F B034	6145-935-2574	CABLE, SPECIAL PURPOSE, ELECTRICAL: SAME AS A790	ft		16										
A-F-R B035	5995-937-8613	CABLE ASSEMBLY POWER ELECTRICAL CX-10534/G (16 ft 8 in): SM-C-603136; 80063	ea		1										W36
P-F B036	5935-818-6807	CONNECTOR, PLUG, ELECTRICAL: MS3106R12S3P; 96906	ea		1	*	*	2	*	*	2	8	3		W36P1
X2-F B037	5940-557-1627	TERMINAL LUG: MS25036-53; 96906	ea		2										
P-F B038	6145-935-2574	CABLE, SPECIAL PURPOSE, ELECTRICAL: SAME AS A790	ft		17										
A-F-R B039	5995-937-8458	CABLE ASSEMBLY RF CG-3366/U (1 ft 6 in): SM-C-603138; 80063	ea		1										W38
P-F B040	5935-283-2950	CONNECTOR CABLE: SAME AS A959	ea		1										W38P1
P-F B041	5935-731-0139	CONNECTOR, PLUG, ELECTRICAL: MS3126F12-10S; 96906	ea		1	*	*	2	*	*	2	8	3		W38P2
P-F B042	6145-542-6092	CABLE RADIOFREQUENCY: RG58CU; 80058	ft		2	*	9	9	*	9	9	24	10		
A-F-R B043	5995-935-2535	LEAD ELECTRICAL CX-10614/G (6 ft 8 in): SM-C-603137; 80063	ea		1										W37
X2-F B044	5940-557-4341	TERMINAL LUG: SAME AS A990	ea		2										
P-F B045	6145-058-8564	WIRE ELECTRICAL TYPE D4: SAME AS A988	ft		3										
X2-F B046	5940-557-4341	TERMINAL LUG: SAME AS A990	ea		2										
A-F-R B046	6150-935-0257	CABLE ASSEMBLY POWER ELECTRICAL CX-10463/GRC-142 (9 ft 0 in): SM-C-603139; 80063	ea		1										W39
P-F B047	5935-087-4984	CONNECTOR, PLUG, ELECTRICAL: 6B-260394-17S; SM-C-603204; 77820	ea		1	*	*	2	*	*	2	8	3		W39P1
P-F B048	6145-935-2572	CABLE, SPECIAL PURPOSE, ELECTRICAL: SM-B-602930; 80063	ft		9	*	18	18	*	18	18	108	45		
X2-F B049		TERMINAL LUG: KPA25; SM-B-603357; 09922	ea		3										
A-F-R B050	5995-935-0393	CABLE ASSEMBLY, RADIOFREQUENCY CG-3384/U (1 ft 5 in): SM-C-603140; 80063	ea		1										W40
P-F B051	5935-780-8149	CONNECTOR, PLUG, ELECTRICAL: UG594BU; 80058	ea		2	*	2	2	*	2	2	13	6		W40P1
P-F B052	5935-780-8149	CONNECTOR, PLUG, ELECTRICAL: SAME AS B051	ea		REF										W40P2
P-F B053	6145-660-8711	CABLE, RADIOFREQUENCY: RG213U; 80058	ft		2	*	6	6	*	6	6	24	12		

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
A-F-R B054	5995-935-2548	CABLE ASSEMBLY RF CG-2568A/U (5 ft 6 in): SM-C-603141; 80063	ea		1										W41
P-F B055	5935-780-8149	CONNECTOR, PLUG, ELECTRICAL: SAME AS B051	ea		1										W41P1
P-F B056	5935-905-3738	CONNECTOR, PLUG, ELECTRICAL: MS91236-21G; 96906	ea		1										W41P2
P-F B057	6145-660-8711	CABLE, RADIOFREQUENCY: SAME AS B053	ft		6										
A-F-R B058	5995-935-0389	CABLE ASSEMBLY, RADIOFREQUENCY CG-2340A/U (9 ft 0 in): SM-C-603142; 80063	ea		1										W42
P-F B059	5935-660-4296	CONNECTOR, PLUG, ELECTRICAL: UG536BU: 80058	ea		1	*	*	2	*	*	2	8	3		W42P1
P-F B060	5935-823-0487	CONNECTOR, PLUG, ELECTRICAL: MS35168-88E; 96906	ea		1	*	*	2	*	*	2	8	3		W42P2
P-F B061	6145-542-6092	CABLE RADIOFREQUENCY: SAME AS B042	ft		1										
A-F-R B061A	5995-935-2546	CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL CX-10523/G (9 ft 4 in): SM-C-603692; 80063	ea		1										W43
P-F B061B	6145-935-2557	CABLE, SPECIAL PURPOSE, ELECTRICAL: SAME AS A967	ft		11										
A-F-R B061C	5995-935-2539	LEAD ELECTRICAL CX-10618/G (4 ft 4 in): SM-B-603693; 80063	ea		1										W44
X2-F B061D		WIRE, ELECTRICAL, HOOK UP: MIL W16878/1; 20 awg; SM-B-603002-999; 80063	ft		5										
X2-F B016E	5940-557-4398	TERMINAL LUG: SAME AS A970	ea		1										
A-F-R B062	5995-935-2540	CABLE ASSEMBLY POWER ELECTRICAL CX-10532/G (4 ft 7 in): SM-C-603145; 80063	ea		1										W45
P-F B063	6145-058-8564	WIRE, ELECTRICAL, TYPE D4: SAME AS A988	ft		3										
X2-F B064	5940-557-4341	TERMINAL LUG: SAME AS A990	ea		2										
A-F-R B064A	5995-935-2537	LEAD ELECTRICAL CX-10616/G (4 ft 2 in): SM-C-603146; 80063	ea		1										W46
X2-F B064B	5940-557-4398	TERMINAL LUG: SAME AS A970	ea		2										
X2-F B064C		WIRE, ELECTRICAL, HOOK UP: SAME AS B061D	ft		5										
A-F-R B064D	5995-089-4497	CABLE ASSEMBLY SPECIAL PURPOSE ELECTRICAL, BRANCHED (14 ft 2 in) SM-C-603147; 80063	ea		1										W47
X2-F B064E		WIRE ELECTRICAL: SM-B-603003-555; 80063	ft		30										
X2-F B064F		WIRE, ELECTRICAL: SM-B-603003-000; 80063	ft		30										
X2-F B064G		WIRE, ELECTRICAL: SM-B-603003-999; 80063	ft		30										
P-F B064H	5935-985-4295	CONNECTOR RECEPTACLE ELECTRICAL: 3330; SM-C-603399; 74545	ea		1	*	*	2	*	*	2	8	3		
X2-F B064J	5325-174-9008	GROMMET, RUBBER: MS35489-15; 96906	ea		1										
X2-F B064K	5940-660-3634	TERMINAL LUG: SAME AS A765H	ea		4										
X2-F B064L	5940-204-9142	TERMINAL LUG: SAME AS A765J	ea		2										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F B064M	5935-283-4003	CONNECTOR, RECEPTACLE, ELECTRICAL: 5262; SM-B-603356; 74545	ea		1	*	*	2	*	*	2	8	3		
A-F-R B064N	5995-935-2538	LEAD ELECTRICAL CX-10617/G (4-1/2 in): SM-C-603148; 80063	ea		1										W48
X2-F B064P		WIRE, ELECTRICAL, HOOK UP: SAME AS B061D	ft		1										
X2-F B064R	5940-503-9995	TERMINAL LUG: SAME AS A956	ea		2										
A-F-R B064S	5995-935-2536	LEAD ELECTRICAL CX-10615/G (11 ft 0 in): SM-C-603149; 80063	ea		1										W49
X2-F B064T		BRAID, FLAT: SM-B-603360-2; 80063	ft		11										
X2-F B064U		TERMINAL LUG: SM-B-603438-2; 80063	ea		2										
		NOTE: The following items are used to install wiring in Shelter, Electrical Equipment S-318/G.													
M-D B065		COVER, WIRE MOLD: SM-C-603635-1; 80063	ea		1										
X2-F B066		CLIP, WIRE MOLD: SM-B-603637; 80063	ea		2										
M-D B067		COVER, WIRE MOLD: SM-C-603635-2; 80063	ea		1										
X2-F B068		CLIP, WIRE MOLD: SAME AS B066	ea		2										
M-D B069		COVER, WIRE MOLD: SM-C-603635-3; 80063	ea		1										
X2-F B070		CLIP, WIRE MOLD: SAME AS B066	ea		2										
M-D B071		COVER, WIRE MOLD: SM-C-603635-4; 80063	ea		1										
X2-F B072		CLIP, WIRE MOLD: SAME AS B066	ea		1										
M-D B073		COVER, WIRE MOLD: SM-C-603635-5; 80063	ea		1										
X2-F B074		CLIP, WIRE MOLD: SAME AS B066	ea		2										
M-D B075		COVER, WIRE MOLD: SM-C-603635-6; 80063	ea		1										
X2-F B076		CLIP, WIRE MOLD: SAME AS B066	ea		2										
M-D B077		BAR, BUS, L FRONT: SM-C-603575; 80063	ea		1										
X2-F B078	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		4										
X2-F B079	5310-209-1239	WASHER, LOCK, INTERNAL: MS35335-60; 96906	ea		4										
X2-F B080		SCREW, HEXAGONAL HEAD: SM-C-603664-14; 80063	ea		4										
M-D B081		BAR, BUS, L LOWER: SM-C-603576; 80063	ea		1										
X2-F B082	5310-209-1239	WASHER, LOCK, INTERNAL: SAME AS B079	ea		2										
X2-F B083		SCREW, HEXAGONAL HEAD: SM-C-603664-8; 80063	ea		2										
M-D B084		BAR BUS, LOWER: SM-C-603577; 80063	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CMTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F B085	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		3										
X2-F B086	5310-209-1239	WASHER, LOCK, INTERNAL: SAME AS B079	ea		7										
X2-F B087		SCREW, HEXAGONAL HEAD: SM-C-603664-11; 80063	ea		1										
X2-F B088		SCREW, HEXAGONAL HEAD: SM-C-603664-10; 80063	ea		3										
M-D B089		BAR, BUS, CENTER: SM-C-603578; 80063	ea		1										
X2-F B090	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		4										
X2-F B091	5310-209-1239	WASHER, LOCK, INTERNAL: SAME AS B079	ea		8										
X2-F B092		SCREW, HEXAGONAL HEAD: SAME AS B088	ea		4										
M-D B093		BAR, BUS UPPER: SM-C-603579; 80063	ea		1										
X2-F B094	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		1										
X2-F B095	5310-209-1239	WASHER, LOCK, INTERNAL: SAME AS B079	ea		3										
X2-F B096		SCREW, HEXAGONAL HEAD: SAME AS B080	ea		1										
X2-F B097		SCREW, HEXAGONAL HEAD: SAME AS B087	ea		1										
M-D B098		BAR, BUS, FRONT CENTER: SM-C-603580; 80063	ea		1										
X2-F B099	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		2										
X2-F B100	5310-209-1239	WASHER, LOCK, INTERNAL: SAME AS B079	ea		4										
X2-F B101		SCREW, HEXAGONAL HEAD: SAME AS B088	ea		2										
M-D B102		BAR, BUS, RIGHT LOWER: SM-C-603581; 80063	ea		1										
X2-H B103	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		2										
X2-F B104	5310-209-1239	WASHER, LOCK, INTERNAL: SAME AS B079	ea		4										
X2-F B105		SCREW, HEXAGONAL HEAD: SAME AS B088	ea		2										
M-D B106		CABLE, GROUND (4 ft 6 in): SM-B-603585; 80063	ea		1										
X2-H B107	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		1										
X2-H B108		WASHER, LOCK: SAME AS A082	ea		1										
X2-H B109		SCREW, HEXAGONAL HEAD: SM-C-603664-4; 80063	ea		1										
X2-F B109A	5940-660-3634	TERMINAL LUG: SAME AS A765H	ea		1										
X2-F B109B		BRAID, FLAT: SAME AS A765G	ft		5										
X2-F B109C		TERMINAL LUG: 322218; SM-B-603666; 00779	ea		1										
M-D B110		CABLE, GROUND (2 ft): SM-B-603697; 80063	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H B111	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		1										
X2-H B112		WASHER, LOCK: SAME AS A082	ea		1										
X2-H B113		SCREW, HEXAGONAL HEAD: SAME AS B109	ea		1										
X2-F B113A		BRAID, FLAT: 5025; SM-B-603360-2; 70903	ft		2										
X2-F B113B	5940-557-4341	TERMINAL LUG: SAME AS A990	ea		2										
M-D B114		CABLE, GROUND (7 in): SM-B-603587; 80063	ea		1										
X2-H B115	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		1										
X2-H B116		WASHER, LOCK: SAME AS A082	ea		1										
X2-H B117		SCREW, HEXAGONAL HEAD: SAME AS B109	ea		1										
P-F B117A	5935-578-3493	PLUG, TIP: 105-303; SM-B-403768-3; 74970	ea		1	*	2	2	*	2	2	13	6		
M-D B118		CABLE, GROUND (7 in): SM-B-603588; 80063	ea		1										
X2-H B119	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		1										
X2-H B120		WASHER, LOCK: SAME AS A082	ea		1										
X2-H B121		SCREW, HEXAGONAL HEAD: SAME AS B109	ea		1										
M-D B122		CABLE, GROUND (2 ft 7 in): SM-B-603589; 80063	ea		1										
X2-H B123	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		1										
X2-H B124		WASHER, LOCK: SAME AS A082	ea		1										
X2-H B125		SCREW, HEXAGONAL HEAD: SAME AS B109	ea		1										
M-D B126		CABLE, GROUND: (4 ft 0 in); SM-B-603590; 80063	ea		1										
X2-H B127	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		1										
X2-H B128		WASHER, LOCK: SAME AS A082	ea		1										
X2-H B129		SCREW, HEXAGONAL HEAD: SAME AS B109	ea		1										
M-D B130		CABLE GROUND (8 in): SM-B-603591; 80063	ea		2										
X2-H B131	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		2										
X2-H B132		WASHER, LOCK: SAME AS A082	ea		2										
X2-H B133		SCREW, HEXAGONAL HEAD: SAME AS B109	ea		2										
P-F B133A	5935-578-3493	PLUG TIP: SAME AS B117A	ea		1										
M-D B134		CABLE, GROUND (33 in): SM-B-603592; 80063	ea		1										
X2-H B135	5310-167-0812	WASHER, FLAT: SAME AS A081	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-H B136		WASHER, LOCK: SAME AS A082	ea		1										
X2-H B137		SCREW, HEXAGONAL HEAD: SAME AS B109	ea		1										
F-F B138	5340-285-7729	CLAMP, CABLE: HP-3N; SM-B-583238-2; 09922	ea		1	*	*	*	*	*	*	5	2		
X2-H B139	5310-685-3744	WASHER, FLAT: SAME AS A116	ea		1										
X2-H B140		WASHER, LOCK: SAME AS A115	ea		1										
X2-F B141	5310-271-4645	NUT, PLAIN, HEXAGONAL: SAME AS A242	ea		1										
X2-H B142	5305-054-6671	SCREW MACHINE: SAME AS A171	ea		1										
M-D B143		COVER, WIRE MOLD: SM-C-603635-7; 80063	ea		1										
X2-F B144		CLIP, WIRE MOLD: SAME AS B066	ea		2										
M-D B145		COVER, WIRE MOLD: SM-C-603635-8; 80063	ea		1										
X2-F B146		CLIP, WIRE MOLD: SAME AS B066	ea		1										
X2-F B147	5327-276-6100	GROMMET: MS35489-14; 96906	ea		1										
M-D B148		COVER, WIRE MOLD: SM-C-603633-1; 80063	ea		1										
X2-F B149		CLIP, WIRE MOLD: SM-B-603639; 80063	ea		1										
M-D B150		COVER, WIRE, MOLD: SM-C-603633-2; 80063	ea		4										
X2-F B151		CLIP, WIRE MOLD: SAME AS B149	ea		4										
M-D B152		COVER, WIRE MOLD: SM-C-603633-3; 80063	ea		1										
X2-F B153		CLIP, WIRE MOLD: SAME AS B149	ea		1										
M-D B154		COVER, WIRE MOLD: SM-C-603633-4; 80063	ea		1										
X2-F B155		CLIP, WIRE MOLD: SAME AS B149	ea		1										
X2-F B156	5325-543-2902	GROMMET: MS35489-134; 96906	ea		1										
M-D B157		COVER, WIRE MOLD: SM-C-603633-6; 80063	ea		1										
X2-F B158		CLIP, WIRE MOLD: SAME AS B149	ea		2										
M-D B159		COVER, WIRE MOLD: SM-C-603633-7; 80063	ea		1										
X2-F B160		CLIP, WIRE MOLD: SAME AS B149	ea		2										
M-D B161		COVER, WIRE MOLD: SM-C-603633-8; 80063	ea		1										
X2-F B162		CLIP, WIRE MOLD: SM-B-603689; 80063	ea		2										
M-D B163		COVER, WIRE MOLD: SM-C-603633-9; 80063	ea		1										
X2-F B164		CLIP, WIRE MOLD: SAME AS B162	ea		2										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D B165		COVER, WIRE MOLD: SM-C-603633-10; 80063	ea		1										
X2-F B166		CLIP, WIRE MOLD: SAME AS B149	ea		2										
M-D B167		COVER, WIRE MOLD: SM-C-603633-11; 80063	ea		1										
X2-F B168		CLIP, WIRE MOLD: SAME AS B149	ea		2										
M-D B169		COVER, WIRE MOLD: SM-C-603633-12; 80063	ea		1										
X2-F B170		CLIP, WIRE MOLD: SAME AS B149	ea		2										
M-D B171		COVER, WIRE MOLD: SM-C-603633-13; 80063	ea		1										
X2-F B172		CLIP, WIRE MOLD: SAME AS B149	ea		2										
M-D B173		COVER, WIRE MOLD: SM-C-603633-14; 80063	ea		1										
X2-F B174		CLIP, WIRE MOLD: SAME AS B149	ea		2										
M-D B175		COVER, WIRE MOLD: SM-C-603633-15; 80063	ea		1										
X2-F B176		CLIP, WIRE MOLD: SM-B-603638; 80063	ea		1										
M-D B177		COVER, WIRE MOLD: SM-C-603633-16; 80063	ea		1										
X2-F B178		CLIP, WIRE MOLD: SAME AS B176	ea		2										
M-D B179		COVER, WIRE MOLD: SM-C-603633-17; 80063	ea		1										
X2-F B180		CLIP, WIRE MOLD: SAME AS B176	ea		2										
M-D B181		COVER, WIRE MOLD: SM-C-603633-18; 80063	ea		1										
X2-F B182		CLIP, WIRE MOLD: SAME AS B176	ea		2										
M-D B183		COVER, WIRE MOLD: SM-C-603633-19; 80063	ea		1										
X2-F B184		CLIP, WIRE MOLD: SAME AS B149	ea		2										
M-D B185		COVER, WIRE MOLD: SM-C-603633-20; 80063	ea		1										
X2-F B186		CLIP, WIRE MOLD: SAME AS B149	ea		3										
M-D B187		COVER, WIRE MOLD: SM-C-603633-21; 80063	ea		1										
X2-F B188		CLIP, WIRE MOLD: SAME AS B176	ea		2										
X2-F B189	5325-286-6047	GROMMET: MS35489-1; 96906	ea		1										
M-D B190		COVER, WIRE MOLD: SM-B-603680; 80063	ea		1										
X2-F B191		CLIP, WIRE MOLD: SM-B-603636; 80063	ea		2										
M-D B192		LEAD GROUND ELECTRICAL (4 ft 2 in): SM-C-603146; 80063	ea		1										
X2-F B193	5940-204-8966	TERMINAL, LUG: MS25036-2; 96906	ea		2										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CMTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F B194		CABLE, HOOK UP: SM-B-602002-999; 80063	ft		5										
A-O-R B195	5815-999-5277	MODEM, RADIO TELETYPEWRITER MD-522/GRC:	ea		1										
		OR													
A-O-R B195A	5815-919-4800	MODEM RADIO TELETYPEWRITER MD-522A/GRC	ea		1										
A-O-R B196	5815-503-2764	TELETYPEWRITER TT-98/FG: (This item is nonexpendable.)	ea		1										
X2-F B197	5305-207-2297	SCREW, CAP: MS35307-312; 96906	ea		4										
X2-H B198	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		4										
X2-H B199		WASHER, LOCK: SAME AS A006	ea		4										
A-F-R B200	5815-503-2760	REPERFORATOR, TRANSMITTER TELETYPEWRITER, TT-76/GRC: SCDL157005; 80063 (This item is nonexpendable.)	ea		1										
X2-H B201		SCREW, CAP: SAME AS A289	ea		4										
X2-H B202	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		4										
X2-H B203		WASHER, LOCK: SAME AS A006	ea		4										
M-F B203A		RESISTOR, SUBASSEMBLY: SM-B-603699; 80063	ea		1										
X2-F B203B	5940-617-7860	TERMINAL LUG: SAME AS A891	ea		2										
P-F B203C	5905-249-4190	RESISTOR, FIXED, COMPOSITION: RC42GF562J; 81349	ea		1	*	*	2	*	*	2	8	3		
A-F-R B204	5815-937-6113	SWITCH BOX ASSEMBLY SA-1554/GRC-142: SCDL603314; 80063	ea		1										
P-F B205	5910-890-9670	CAPACITOR, FIXED, ELECTRICAL: CE41C221G; 81349	ea		2	*	2	2	*	2	2	19	10		C1
P-F B206	5910-890-9670	CAPACITOR, FIXED, ELECTRICAL:	ea		REF										C2
P-O B207	6240-223-9100	LAMP, GLOW: NE51; 24446	ea		1	*	*	2	*	2	2	12	5		DS1
P-F B208	5935-201-4323	CONNECTOR, RECEPTACLE, ELECTRICAL: U79U; 81349	ea		3	*	2	2	*	2	2	16	8		J1a
P-F B209	5935-201-4323	CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS B208	ea		REF										J2a
P-F B210	5935-201-4323	CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS B208	ea		REF										J3
P-F B211	5935-087-3127	CONNECTOR, RECEPTACLE, ELECTRICAL: MIL-C-26482; MS3124E12-3PY; 96906	ea		1	*	*	2	*	*	2	8	3		J4
P-F B212	5935-761-3210	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3124E12-3P; 96906	ea		1	*	*	2	*	*	2	8	3		J5
P-F B213	5935-712-3152	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3124E10-6P; 96906	ea		1	*	2	2	*	2	2	13	6		J6
P-F B214	5935-901-0904	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3124E10-6S; 96906	ea		1	*	2	2	*	2	2	13	6		J7
P-F B215	5935-194-3079	JACK, TELEPHONE: JJ042; 81349	ea		1	*	*	2	*	*	2	10	4		J8

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F B216	5305-054-5649	SCREW, PAN HEAD: MS51957-15; 96906	ea		1										
X2-F B217		WASHER, FLAT: MS15795-803; 96906	ea		1										
X2-F B218		WASHER, LOCK: SAME AS A743	ea		1										
X2-F B219	5310-271-4642	NUT, PLAIN, HEXAGONAL: SAME AS A744	ea		1										
P-F B220	5935-194-3079	JACK, TELEPHONE: SAME AS B215	ea		1										J9
X2-F B221	5305-054-5649	SCREW, PAN HEAD: SAME AS B216	ea		1										
X2-F B222		WASHER, FLAT: SAME AS B217	ea		1										
X2-F B223		WASHER, LOCK: SAME AS A743	ea		1										
X2-F B224	5310-271-4642	NUT, PLAIN, HEXAGONAL: SAME AS A744	ea		1										
P-F B225	5945-823-2611	RELAY, ARMATURE: RY4LC3B3L01; 81349	ea		1	*	*	*	*	*	*	5	2		K1
X2-F B226	5305-054-5649	SCREW, PAN HEAD: SAME AS B216	ea		2										
X2-F B227		WASHER, FLAT: SAME AS B217	ea		2										
X2-F B228		WASHER, LOCK: SAME AS A743	ea		2										
X2-F B229	5310-271-4642	NUT, PLAIN, HEXAGONAL: SAME AS A744	ea		2										
P-F B230	5905-195-2309	RESISTOR, VARIABLE: RP101SD751KK; 81349	ea		2	*	2	2	*	2	2	13	6		R1
P-F B231	5905-195-2309	RESISTOR, VARIABLE: SAME AS B230	ea		REF										R2
P-F B232	5930-655-1582	SWITCH, TOGGLE: MS35059-23; 96906	ea		1	*	*	2	*	*	2	10	4		S1b
P-F B233	5930-655-1517	SWITCH, TOGGLE: MS35058-26; 96906	ea		1	*	*	2	*	*	2	10	4		S2b
P-F B234	5930-655-1581	SWITCH, TOGGLE: MS25068-23; 96906	ea		1	*	2	2	*	2	2	16	8		S3a
P-F B235	6210-892-5164	LAMPHOLDER: LH76; 81349	ea		1	*	*	*	*	*	*	5	2		XDS1a
P-O B236	6210-753-2834	LENS PANEL LIGHT: LC14RD; 81349	ea		1	*	*	2	*	*	2	8	3		XDS1b
X B237		CHASSIS ASSEMBLY: SM-D-603020; 80063	ea		1										
X B238		BRACKET, MOUNTING ASSEMBLY: SM-D-603017; 80063	ea		1										
X2-F B239	5305-054-6668	SCREW, PAN HEAD: SAME AS A755	ea		4										
M-D B242		COVER: SM-C-603011; 80063	ea		1										
X2-F B243	5305-054-6667	SCREW, PAN HEAD: MS51957-42; 96906	ea		12										
X2-F B245		WASHER, LOCK: SAME AS A115	ea		12										
X2-F B246	5340-200-2755	CLAMP, CABLE: SAME AS A747	ea		3										
X2-F B247	5305-054-6654	SCREW, PAN HEAD: SAME AS A136	ea		3										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION — REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F B248	5310-271-4644	NUT, PLAIN, HEXAGONAL: SAME AS A139	ea		3										
X2-F B249		WASHER, LOCK: SAME AS A138	ea		3										
X2-F B250	5310-880-5976	WASHER, FLAT: SAME AS A180	ea		3										
X2-F B251	5340-200-2691	CLAMP, CABLE: HP6N; SM-B-583238-5; 09922	ea		2										
X2-F B252	5305-054-6654	SCREW, PAN HEAD: SAME AS A136	ea		2										
X2-F B253	5310-271-4644	NUT, PLAIN, HEXAGONAL: SAME AS A139	ea		2										
X2-F B254		WASHER, LOCK: SAME AS A138	ea		2										
X2-F B255	5310-880-5976	WASHER, FLAT: SAME AS A180	ea		2										
A-F-R B256	5930-937-5352	SWITCH BOX SA-1555/GRC-142: SCDL603316; 80063	ea		1										
X2-F B257	5305-021-3620	SCREW, MACHINE: SAME AS A018	ea		4										
X2-F B258	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		4										
X2-F B259		WASHER, LOCK: SAME AS A006	ea		4										
P-F B260	5935-982-6347	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3114E8-3P; 96906	ea		1	*	*	2	*	*	2	8	3		J1b
P-F B261	5935-926-7439	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3114E8-3PW; 96906	ea		1	*	*	2	*	*	2	8	3		J2b
P-F B262	5935-926-7440	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3114E8-3PX; 96906	ea		1	*	*	2	*	*	2	8	3		J3a
P-F B263	5935-901-0904	CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS B214	ea		2										J4a
P-F B264	5935-901-0904	CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS B214	ea		REF										J5a
P-F B265	5935-975-3931	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3114E8-3S; 96906	ea		1	*	*	2	*	*	2	8	3		J6a
P-F B266	5935-926-7441	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3114E8-3SW; 96906	ea		1	*	*	2	*	*	2	8	3		J7a
P-F B267	5935-926-7442	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3114EB-3SX; 96906	ea		1	*	*	2	*	*	2	8	3		J8a
P-F B268	5935-712-3152	CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS B213	ea		1										J9a
P-F B269	5935-712-3152	CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS B213	ea		1										J10
P-F B270	5905-299-2020	RESISTOR, FIXED, COMPOSITION: RC32GF273J; 81349	ea		2	*	*	2	*	*	2	8	3		R1a
P-F B271	5905-299-2020	RESISTOR, FIXED, COMPOSITION: SAME AS B270	ea		REF										R2a
P-F B272	5905-279-1733	RESISTOR, FIXED, COMPOSITION: RC32GF680J; 81349	ea		1	*	*	2	*	*	2	8	3		R3
P-F B273	5930-655-1515	SWITCH, TOGGLE: MS35058-23; MS35058-23; 96906	ea		2	*	2	2	*	2	2	18	9		S1c
P-F B274	5930-655-1515	SWITCH, TOGGLE: SAME AS B273	ea		REF										S2c
P-F B275	5930-655-1581	SWITCH, TOGGLE: SAME AS B234	ea		1										S3b
P-F B276	5940-223-5293	POST, BINDING: SAME AS A212	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X B277		BOX, ASSEMBLY: SM-D-603177; 80063	ea		1										
M-D B278		COVER, MOUNTING: SM-D-603179; 80063	ea		1										
X2-F B279	5305-054-6651	SCREW, MACHINE: SAME AS A357	ea		24										
X2-F B280	5310-011-1041	WASHER, LOCK: MS35338-79; 96906	ea		24										
X2-F B281	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		24										
P-F B282	5935-912-9599	COVER, ELECTRICAL CONNECTOR: MS3181-10N; 96906	ea		2	*	2	2	*	2	2	16	8		
P-F B283	5935-990-5582	COVER, ELECTRICAL CONNECTOR: MS3181-8N; 96906	ea		2	*	2	2	*	2	2	16	8		
X2-F B284		TERMINAL STANDOFF: 756-10T39-208A; SM-B-603275; 81312	ea		6										
X2-F B285	5340-664-2635	CLAMP, CABLE: SAME AS A214	ea		3										
X2-F B286	5310-209-3990	WASHER, LOCK INTERNAL: SAME AS A219	ea		3										
X2-F B287	5305-054-6654	SCREW, PAN HEAD: SAME AS A136	ea		3										
X2-F B288	5310-271-4644	NUT, PLAIN, HEXAGONAL: SAME AS A139	ea		3										
X2-F B289	5310-011-1041	WASHER, LOCK: SAME AS B280	ea		3										
X2-F B290	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		3										
P-F B291	5340-543-3931	CLAMP CABLE: SAME AS A222	ea		2										
X2-F B292	5310-209-3990	WASHER, LOCK INTERNAL: SAME AS A219	ea		2										
X2-F B293	5305-054-6654	SCREW, PAN HEAD: SAME AS A136	ea		2										
X2-F B294	5310-271-4644	NUT, PLAIN, HEXAGONAL: SAME AS A139	ea		2										
X2-F B295	5310-011-1041	WASHER, LOCK: SAME AS B280	ea		2										
X2-F B296	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		2										
P-F B297	5340-598-0383	CLAMP, CABLE: SAME AS A229	ea		1										
X2-F B298	5310-209-3990	WASHER, LOCK INTERNAL: SAME AS A219	ea		1										
X2-H B299	5305-054-6654	SCREW, PAN HEAD: SAME AS A136	ea		1										
X2-F B300	5310-271-4644	NUT, PLAIN HEXAGONAL: SAME AS A139	ea		1										
X2-F B301	5310-011-1041	WASHER, LOCK: SAME AS B280	ea		1										
X2-F B302	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		1										
A-F-R B303	5820-170-4781	CONTROL, LOCAL C-434/GRC: SCDL42368; 80063	ea		1										
X2-F B304	5305-207-8253	SCREW, CAP: SAME AS A577	ea		2										
A-F-R B305	5815-926-7377	INTERCONNECTING BOX J-2728/GRC-142: SCDL603317; 80063	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D B306		BOX ASSEMBLY: SM-D-603097; 80063	ea		1										
M-D B307		BOX ASSEMBLY: SM-D-603098; 80063	ea		1										
X2-F B308		FASTENER: 53-17-710-24; SM-D-603096; 94222	ea		2										
M-D B309		COVER: SM-C-603532; 80063	ea		1										
X2-F B310	5305-054-5648	SCREW, PAN HEAD: MS51957-14; 96906	ea		16										
X2-F B311	5310-632-6721	WASHER, FLAT: AN960C4; 88044	ea		16										
X2-F B312	5305-054-5650	SCREW, PAN HEAD: MS51957-16; 96906	ea		16										
P-F B313	5935-803-1444	JACK TIP: (White) 108-901; SM-B-602988; 74970	ea		1	*	2	2	*	2	2	13	6		E1
X2-F B314	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		1										
X2-F B315		WASHER, LOCK: SAME AS A138	ea		1										
X2-F B316	5310-625-5756	WASHER, FLAT: SAME AS A044	ea		1										
X2-F B317	5310-271-4644	NUT, PLAIN HEXAGONAL: SAME AS A139	ea		1										
P-F B318	5935-993-1435	JACK TIP: (Blue) 108-910; SM-B-602989; 74970	ea		1	*	2	2	*	2	2	13	6		E2
X2-F B319	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		1										
X2-F B320		WASHER, LOCK: SAME AS A138	ea		1										
X2-F B321	5310-625-5756	WASHER, FLAT: SAME AS A044	ea		1										
X2-F B322	5310-271-4644	NUT, PLAIN HEXAGONAL: SAME AS A139	ea		1										
P-F B323	5935-729-5559	JACK TIP: (Black) 108-903; SM-B-602990; 74970	ea		1	*	2	2	*	2	2	13	6		E3
X2-F B324	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		1										
X2-F B325		WASHER, LOCK: SAME AS A138	ea		1										
X2-F B326	5310-625-5756	WASHER, FLAT: SAME AS A044	ea		1										
X2-F B327	5310-271-4644	NUT, PLAIN HEXAGONAL: SAME AS A139	ea		1										
P-F B328	5935-992-0310	CONNECTOR, RECEPTACLE, ELECTRICAL: PT02E10-98PW; SM-C-602986; 77820	ea		1	*	*	2	*	*	2	10	4		J1c
X2-F B329	5310-632-6721	WASHER, FLAT: SAME AS B311	ea		4										
X2-F B330		WASHER, LOCK: SAME AS A743	ea		4										
X2-F B331	5305-054-5650	SCREW, PAN HEAD: SAME AS B312	ea		4										
X2-F B332	5310-271-4642	NUT, PLAIN, HEXAGONAL: SAME AS A744	ea		4										
P-F B333	5935-992-0309	CONNECTOR, RECEPTACLE, ELECTRICAL: PT02E10-98SW; SM-C-602987; 77820	ea		1	*	*	2	*	*	2	10	4		J2c
X2-F B334	5310-632-6721	WASHER, FLAT: SAME AS B311	ea		4										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F B335		WASHER, LOCK: SAME AS A743	ea		4										
X2-F B336	5305-054-5650	SCREW, PAN HEAD: SAME AS B312	ea		4										
X2-F B337	5310-271-4642	NUT, PLAIN HEXAGONAL: SAME AS A744	ea		4										
X2-F B338	5340-954-5104	CLIP: MS17160-27; 96906	ea		1										
X2-F B339	5305-054-5648	SCREW, PAN HEAD: SAME AS B310	ea		2										
X2-F B340	5310-632-6721	WASHER, FLAT: SAME AS B311	ea		2										
X2-F B341		WASHER, LOCK: SAME AS A743	ea		2										
X2-F B342	5310-271-4642	NUT, PLAIN, HEXAGONAL: SAME AS A744	ea		2										
A-F-R B343	5815-926-7377	INTERCONNECTING BOX J2728/GRC-142: SAME AS B305	ea		1										
M-D B344		BOX ASSEMBLY: SAME AS B306	ea		1										
M-D B345		BOX ASSEMBLY: SAME AS B307	ea		1										
X2-F B346		FASTENER: SAME AS B308	ea		2										
M-D B347		COVER: SAME AS B309	ea		1										
X2-F B348	5305-054-5648	SCREW, PAN HEAD: SAME AS B310	ea		16										
X2-F B349	5310-632-6721	WASHER, FLAT: SAME AS B311	ea		16										
X2-F B350	5305-054-5650	SCREW, PAN HEAD: SAME AS B312	ea		16										
P-F B351	5935-803-1444	JACK TIP: SAME AS B313	ea		1										
X2-F B352	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		1										
X2-F B353		WASHER, LOCK: SAME AS A138	ea		1										
X2-F B354	5310-625-5756	WASHER, FLAT: SAME AS A044	ea		1										
X2-F B355	5310-271-4644	NUT, PLAIN HEXAGONAL: SAME AS A139	ea		1										
P-F B356	5935-993-1435	JACK TIP: SAME AS B318	ea		1										E2a
X2-F B357	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		1										
X2-F B358		WASHER, LOCK: SAME AS A138	ea		1										
X2-F B359	5310-625-5756	WASHER, FLAT: SAME AS A044	ea		1										
X2-F B360	5310-271-4644	NUT, PLAIN HEXAGONAL: SAME AS A139	ea		1										
P-F B361	5935-729-5559	JACK TIP: SAME AS B323	ea		1										E3a
X2-F B362	5310-531-9514	WASHER, FLAT: SAME AS A137	ea		1										
X2-F B363		WASHER, LOCK: SAME AS A138	ea		1										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY OS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F B364	5310-625-5756	WASHER, FLAT: SAME AS A044	ea		1										
X2-F B365	5310-062-0912	NUT, SAME AS A139	ea		1										
F-F B366	5935-992-0310	CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS B328	ea		1										J1d
X2-F B367	5310-632-6721	WASHER, FLAT: SAME AS B311	ea		4										
X2-F B368		WASHER, LOCK: SAME AS A743	ea		4										
X2-F B369	5305-054-5650	SCREW, PAN HEAD: SAME AS B312	ea		4										
X2-F B370	5310-271-4642	NUT, PLAIN HEXAGONAL: SAME AS A744	ea		4										
F-F B371	5935-992-0309	CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS B333	ea		1										J2d
X2-F B372	5310-632-6721	WASHER, FLAT: SAME AS B311	ea		4										
X2-F B373		WASHER, LOCK: SAME AS A743	ea		4										
X2-F B374	5305-054-5650	SCREW, PAN HEAD: SAME AS B312	ea		4										
X2-F B375	5310-271-4642	NUT, PLAIN, HEXAGONAL: SAME AS A744	ea		4										
X2-F B376	5340-954-5104	CLIP: SAME AS B338	ea		1										
X2-F B377	5305-054-5648	SCREW PAN HEAD: SAME AS B310	ea		2										
X2-F B378	5310-632-6721	WASHER, FLAT: SAME AS B311	ea		2										
X2-F B379		WASHER, LOCK: SAME AS A743	ea		2										
X2-F B380	5310-271-4642	NUT, PLAIN, HEXAGONAL: SAME AS A744	ea		2										
A-F-R B381	6125-617-1435	INVERTER, MOTOR GENERATOR: SS688; SCDL-114258; 66099 (This item is nonexpendable.)	ea		1										
X2-F B382	5305-207-8253	SCREW, CAP: SAME AS A577	ea		4										
X2-F B383	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		4										
X2-F B384		WASHER, LOCK: SAME AS A006	ea		4										
X2-F B389	5340-074-2072	CLAMP, CABLE STRAP: 540595-101; MS17821-1-9; 96906	ea		2										
A-F-R B389A		LEAD ELECTRICAL CX-10171/U (3 ft 3 in): SM-C-603731; 80063	ea		1										
G-F B393	6645-557-0320	CLOCK, AIRCRAFT, MECHANICAL: AN5743-2; 81349	ea		1										
X2-F B394	5305-054-6655	SCREW, MACHINE: SAME AS A221	ea		2										
X2-F B395	5310-054-0041	WASHER, FLAT: NAS620C6L; 88044	ea		2										
X2-F B396		WASHER, LOCK: SAME AS A138	ea		2										
A-F-R B397	6625-682-4464	STANDING WAVE-RATIO POWER METER ME-165/G: (This item is nonexpendable.)	ea		1										
X2-F B397A		SPACER: SM-B-603572; 80063	ea		3										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F B398	5310-880-5983	WASHER, FLAT: SAME AS A008	ea		3										
X2-F B399		WASHER, LOCK: SAME AS A006	ea		3										
X2-F B400		NUT, PLAIN, HEXAGONAL: SAME AS A391	ea		3										
X2-F B401	5310-619-1148	WASHER, FLAT: SAME AS A154	ea		3										
X2-F B402		WASHER, LOCK: SAME AS A082	ea		3										
X2-F B403	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		3										
A-F-R B404	4210-555-8837	FIRE EXTINGUISHER: FR23-4-11848; SM-C-603034; 99539	ea		1										
X2-F B405		SCREW, HEXAGONAL HEAD: SM-C-603664-6; 80063	ea		4										
X2-F B406		WASHER, LOCK: SAME AS A082	ea		4										
X2-F B407	5310-270-8810	NUT, PLAIN, HEXAGONAL: SAME AS A083	ea		4										
A-F-R B408	5815-937-5973	REMOTE CONTROL C-7279/GRC-142: SCDL603308; 80063	ea		1										
P-F B409	5935-192-4789	JACK TELEPHONE: JJ089; 81349	ea		12	*	2	2	*	2	2	21	12		J1e
M-F B410		GASKET: SM-B-603072; 80063	ea		12										
P-F B411	5935-192-4789	JACK TELEPHONE: SAME AS B409	ea		REF										J2e
M-F B412		GASKET: SAME AS B410	ea		REF										
P-F B413	5935-192-4789	JACK TELEPHONE: SAME AS B409	ea		REF										J3b
M-D B414		GASKET: SAME AS B410	ea		REF										
P-F B415	5935-192-4789	JACK TELEPHONE: SAME AS B409	ea		REF										J4b
M-D B416		GASKET: SAME AS B410	ea		REF										
P-F B417	5935-192-4789	JACK TELEPHONE: SAME AS B409	ea		REF										J5b
M-F B418		GASKET: SAME AS B410	ea		REF										
P-F B419	5935-192-4789	JACK TELEPHONE: SAME AS B409	ea		REF										J6b
M-F B420		GASKET: SAME AS B410	ea		REF										
P-F B421	5935-192-4789	JACK TELEPHONE: SAME AS B409	ea		REF										J7b
M-F B422		GASKET: SAME AS B410	ea		REF										
P-F B423	5935-192-4789	JACK TELEPHONE: SAME AS B409	ea		REF										J8b
M-F B424		GASKET: SAME AS B410	ea		REF										
P-F B425	5935-192-4789	JACK TELEPHONE: SAME AS B409	ea		REF										J9b
M-F B426		GASKET: SAME AS B410	ea		REF										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F B427	5935-192-4789	JACK TELEPHONE: SAME AS B409	ea		REF										J10a
M-F B428		GASKET: SAME AS B410	ea		REF										
P-F B429	5935-192-4789	JACK TELEPHONE: SAME AS B409	ea		REF										J11
M-F B430		GASKET: SAME AS B410	ea		REF										
P-F B431	5935-192-4789	JACK TELEPHONE: SAME AS B409	ea		REF										J12
M-F B432		GASKET: SAME AS B410	ea		REF										
P-F B433	5935-201-4323	CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS B208	ea		1										J13
P-F B434	5930-655-1515	SWITCH, TOGGLE: SAME AS B273	ea		1										S1d
X2-F B435	5330-806-8769	SEAL, BUSHING: MS25196-1; 96906	ea		1										
X B436		BOX ASSEMBLY: SM-C-603007; 80063	ea		1										
X B437		COVER, BOX: SM-C-602979; 80063	ea		1										
X2-H B438	5305-054-6651	SCREW, MACHINE: SAME AS A357	ea		12										
X2-F B439	5310-880-5976	WASHER, FLAT: SAME AS A180	ea		12										
X2-F B440	5310-011-1041	WASHER, LOCK: SAME AS B280													
P-F B441	5940-223-5293	POST, BINDING: SAME AS A212	ea		4										
P-F B442	5975-089-3905	STUFFING TUBE: (2.875 in L) S214-100; SM-C-603160-1; 07418	ea		1	*	*	*	*	*	*	4	1		
A-F-R B443	5995-089-4496	CABLE ASSEMBLY SPECIAL PURPOSE: 2 ft 4 in; SM-C-603172; 80063	ea		1										
P-F B444	5935-283-2950	CONNECTOR, CABLE: SAME AS A959	ea		1										P1
X2-F B445		WIRE, ELECTRICAL: SM-B-603000; 80063	ft		3										
P-F B446	5935-026-9824	COVER JACK: 515; SM-C-603090; 82389	ea		12	5	13	25	4	5	6	311	263		
X2-F B447		COVER ELECTRICAL ASSEMBLY: SM-C-502637; 80063	ea		1										
X2-F B448	5305-054-5646	SCREW, PAN HEAD: MS51957-12; 96906	ea		1										
X2-F B449		WASHER, FLAT: SAME AS B217	ea		1										
M-H B450		GASKET, COVER: SM-C-603060; 80063	ea		1										
A-F-R B451	7110-273-3962	CHAIR, SWIVEL: 2123; SM-C-603218; 24503; (This item is nonexpendable.)	ea		1										
M-D B451A		BELT, SEAT: GDE4001; SM-C-603255; 00652	ea		1										
X2-F B451B		SCREW, MACHINE: MS35307-358; 96906	ea		2										
X2-F B451C	5310-167-0804	WASHER, FLAT: AN9600616; 96906	ea		2										
X2-F B451D		WASHER, LOCK: MS35338-141; 96906	ea		2										

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F B451E		NUT, PLAIN, HEXAGONAL: MS35691-19; 96906	ea		2										
A-F-R B452	5805-543-0012	TELEPHONE TA-312PT: SCDL2B3350; 80063 (This item is nonexpendable.)	ea		2										
A-F-R B459	5120-935-0703	HAMMER, SLEDGE: 15H; 79796	ea		1										
X2-F B460		CORDING DIAGRAM: SM-C-603630; 80063	ea		1										
X2-F B461	5305-054-6671	SCREW, MACHINE: SAME AS A171	ea		4										
P-O B462	6240-155-8651	LAMP INCANDESCENT: MS15586-7; 96906	ea		2	*	2	2	*	2	2	27	100		
P-F B463	5815-999-3048	SIGNAL DEVICE LOW LEVEL TT-523/GGC: SK999; SM-A-603623; 05714 (Note: Used in first 145 units only, above serial #145 use item 508A FSN 5815-937-6146, TT-523A/GGC)	ea		1	*	2	2	*	2	2	12	5		
X1 B464		CASE: SK998-1; SM-A-603623-1; 05714	ea		1										
X1 B465		COVER: SK998-2; SM-A-603623-2; 05714	ea		1										
X1 B466	5305-054-5646	SCREW, PAN HEAD: SAME AS B448	ea		2										
X1 B467		WASHER, LOCK: SAME AS A743	ea		1										
X1 B468		SCHEMATIC: SK998-3; SM-A-603623-3; 05714	ea		1										
X1 B469	5305-054-6650	SCREW, PAN HEAD: SAME AS A728	ea		2										
X1 B470		WASHER, LOCK: SAME AS A138	ea		2										
X1 B471	6240-196-4519	STANDOFF: 4118; 70418	ea		2										
X1 B472	5961-752-5351	SEMICONDUCTOR DEVICE DIODE: 1N643; 81349	ea		2										CR1
X1 B473	5961-752-5351	SEMICONDUCTOR DEVICE DIODE: SAME AS B472	ea		REF										CR2
X1 B474	5961-752-6121	SEMICONDUCTOR DEVICE DIODE: 1N753A; 81349	ea		3										CR3
X1 B475	5961-752-6121	SEMICONDUCTOR DEVICE DIODE: SAME AS B474	ea		REF										CR4
X1 B476	5961-752-6121	SEMICONDUCTOR DEVICE DIODE: SAME AS B474	ea		REF										CR5
X1 B477	5961-852-7549	SEMICONDUCTOR DEVICE DIODE: 1N754A; 81349	ea		2										CR6
X1 B478	5961-852-7549	SEMICONDUCTOR DEVICE DIODE: SAME AS B477	ea		REF										CR7
X1 B479		CAPACITOR, FIXED PAPER DIELECTRIC: CP05A1K04M; 81349	ea		1										C1a
X1 B480		CAPACITOR, FIXED PAPER DIELECTRIC: CH09A1MC224M; 81349	ea		1										C2a
X1 B481	5910-082-4785	CAPACITOR, FIXED, ELECTROLYTIC: CL65CN2R5KP3; 81349	ea		1										C3
X1 B482		CAPACITOR, FIXED, ELECTROLYTIC: CL36BQ010MN3; 81349	ea		1										C4
X1 B483	5910-782-1975	CAPACITOR, FIXED, ELECTROLYTIC: CS13BF106K; 81349	ea		1										C5

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X1 B484	5340-576-6502	CONNECTOR, RECEPTACLE, ELECTRICAL: 152465; 71791	ea		1										J1f
X1 B485	1610-310-1501	CONNECTOR, PLUG, ELECTRICAL: 152467; 71791	ea		1										P2
X1 B486	5305-054-5646	SCREW, PAN HEAD: SAME AS B448	ea		2										
X1 B487		WASHER, LOCK: SAME AS A743	ea		2										
X1 B488	5961-057-6014	TRANSISTOR: 2N718; 80063	ea		4										Q1
X1 B489	5961-057-6014	TRANSISTOR: SAME AS B488	ea		REF										Q2
X1 B490	5961-057-6014	TRANSISTOR: SAME AS B488	ea		REF										Q3
X1 B491	5961-057-6014	TRANSISTOR: SAME AS B488	ea		REF										Q4
X1 B492	5961-988-1290	TRANSISTOR: 2N1481; 81349	ea		1										Q5
X1 B493	5905-190-8880	RESISTOR, FIXED, COMPOSITION: RC20GF122J; 81349	ea		1										R1b
X1 B494	5905-192-0660	RESISTOR, FIXED, COMPOSITION: RC20GF184J; 81349	ea		1										R2b
X1 B495	5905-254-9201	RESISTOR, FIXED, COMPOSITION: RC20GF473J; 81349	ea		2										R3a
X1 B496	5905-195-6791	RESISTOR, FIXED, COMPOSITION: RC20GF681J; 81349	ea		1										R4
X1 B497	5905-254-9201	RESISTOR, FIXED, COMPOSITION: SAME AS B495	ea		REF										R5
X1 B498	5905-171-2004	RESISTOR, FIXED, COMPOSITION: RC20GF223J; 81349	ea		2										R6
X1 B499	5905-071-6594	RESISTOR, FIXED, FILM: RN70D1212F; 81349	ea		1										R7
X1 B500	5905-171-2004	RESISTOR, FIXED, COMPOSITION: SAME AS B498	ea		REF										R8
X1 B501	5905-171-1998	RESISTOR, FIXED, COMPOSITION: RC20GF333J; 81349	ea		1										R9
X1 B502	5905-279-3497	RESISTOR, FIXED, COMPOSITION: RC20GF393J; 81349	ea		1										R10
X1 B503	5905-279-1876	RESISTOR, FIXED, COMPOSITION: RC20GF222J; 81349	ea		1										R11
X1 B504	5905-279-1890	RESISTOR, FIXED, COMPOSITION: RC20GF391J; 81349	ea		2										R12
X1 B505	5905-171-2006	RESISTOR, FIXED, COMPOSITION: RC20GF271J; 81349	ea		1										R13
X1 B506	5905-279-1890	RESISTOR, FIXED, COMPOSITION: SAME AS B504	ea		REF										R14
X1 B507	5905-190-8881	RESISTOR, FIXED, COMPOSITION: RC20GF182J; 81349	ea		1										R15
X1 B508	5935-581-4684	SWITCH, TOGGLE: 7301; 74545	ea		1										S1e
A-F-R B508A	5815-937-6146	SIGNAL DEVICE LOW LEVEL TT-523A/GGC: (This item is nonexpendable.) (Note: Used above serial #145.)	ea		1										
P-O B509	5820-937-5532	SIGNAL DEVICE: M3; SM-C-603382; 36800	ea		2	*	2	2	*	2	2	13	6		
P-O B510	5340-286-2491	CLAMP, LOOP, ANTENNA: SC-B-19491; 80063	ea		3	*	2	2	*	2	2	13	6		

(1) SMR CODE / INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE / USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CMTGCY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUSTRATIONS (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D B514	5820-937-5530	TARPAULINE: SM-D-603394; 80063	ea		1										
M-F B519		CABLE, GROUND: 11 ft; SM-B-603149; 80063	ea		1										
X2-F B520		BRAID, FLAT: SAME AS B064T	ft		11										
X2-F B521		TERMINAL: YAEV2CIMOD; SM-B-603438-2; 09922	ea		2										
X2-F B522		ANTENNA TIP: SC-C-446046; 80063	ea		2										
X2-F B523	4720-089-2635	HOSE ASSEMBLY EXHAUST: SM-C-603557; 80063	ea		1										
X2-F B524	4720-937-7088	EXHAUST HOSE VEHICULAR: 30-228; SM-C-603459; 07526	ea		1										
P-O B525	5975-224-5260	ROD, GROUND MX-148/G; SC-D-14158; 80063	ea		2	*	*	2	*	*	2	10	4		
X2-O B526	7240-222-3088	CONTAINER, FUEL: 5 gal for fuel tank; MC1283A; 80063	ea		1										
P-O B527	7240-935-3272	ADAPTER KIT, GRAVITY FEED, MILITARY GASOLINE CAN: SM-C-603812; 80063	ea		1	*	*	*	*	*	*	4	1		
X1 B527A		ADAPTER, FUEL LINE: S2385; SM-C-603264-1; 80072	ea		1										
X1 B527B		HOSE ASSEMBLY: AN6270-4-28; 80205	ea		2										
X1 B527C		ADAPTER, HOSE: 46X4A (4X4) 79470	ea		1										
X1 B527D		COUPLING AND FITTINGS: BVHC4-4-56; 78357	ea		1										
X2-F B528		FILTER, AIR: SM-C-602961; 80063	ea		1										
A-F-R B529	5820-170-5171	REMOTE CONTROL C-433/GRC: (P/o AN/GRA-6) SCDL42454; 80063	ea		1										
A-F-R B530	5820-404-6885	BAG CW-189/GR: SCDL40635; 80063	ea		1										
A-F-R B530A	5820-082-3491	RADIO SET AN/GRC-106: (This item is nonexpendable.)	ea		1										

SECTION III. INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO INDEX NUMBER

FEDERAL STOCK NUMBER	INDEX NO.	FEDERAL STOCK NUMBER	INDEX NO.	FEDERAL STOCK NUMBER	INDEX NO.
1610-310-1501	B485	5305-059-3659	A142	5310-271-4645	A242
2590-473-6331	A569	5305-059-3660	A516	5310-275-5512	A133
4120-730-7072	A692	5305-059-3661	A151	5310-282-4789	A272
4140-926-9648	A244	5305-059-3662	A331	5310-515-7449	A126
4210-555-8837	B404	5305-059-3663	A617	5310-527-3634	A204
4520-649-7571	A275	5305-071-1312	A351	5310-531-9514	A137
4720-089-2635	B523	5305-071-1320	A882	5310-543-2740	A353
4720-937-7088	B524	5305-071-1322	A153	5310-543-2862	A278
4730-618-7030	A489	5305-207-2297	B197	5310-543-4717	A205
4730-908-6292	A611	5305-207-8253	A577	5310-543-5655	A206
4730-909-8627	A447	5305-269-2501	A277	5310-543-5933	A355
4730-937-7467	A563	5305-702-4523	A007	5310-619-1148	A154
4920-741-8569	A493	5305-727-8832	A233	5310-625-5756	A044
5120-935-0703	B459	5305-727-8834	A594	5310-632-6721	B311
5305-021-3616	A030	5305-763-6961	A542	5310-638-9857	A691
5305-021-3620	A018	5305-764-0064	A534	5310-685-3744	A116
5305-050-9237	A466	5305-764-0068	A298	5310-720-7798	A119
5305-054-5646	B448	5305-764-0070	A301	5310-722-5998	A503
5305-054-5648	B310	5305-765-4352	A112	5310-772-3887	A759
5305-054-5649	B216	5306-637-9674	A043	5310-775-5245	A562
5305-054-5650	B312	5306-720-8260	A075	5310-782-1349	A742
5305-054-5651	A741	5310-011-1041	B280	5310-845-5472	A551
5305-054-6650	A728	5310-054-0041	B395	5310-880-5976	A180
5305-054-6651	A357	5310-063-6716	A296	5310-880-5978	A172
5305-054-6652	A187	5310-080-8495	A375	5310-880-5983	A008
5305-054-6654	A136	5310-167-0801	A144	5310-903-5966	A005
5305-054-6655	A221	5310-167-0804	B451C	5315-815-1405	A266
5305-054-6656	A608	5310-167-0812	A081	5315-959-7692	A381
5305-054-6667	B243	5310-183-4355	A134	5325-174-9008	B064J
5305-054-6668	A755	5310-209-0790	A211	5325-286-6047	B189
5305-054-6669	A245	5310-209-1239	B079	5325-543-2902	B156
5305-054-6670	A435	5310-209-1498	A132	5327-276-6100	B147
5305-054-6671	A171	5310-209-3990	A219	5330-614-0344	A213
5305-054-6672	A114	5310-270-8810	A083	5330-806-8769	B435
5305-054-6677	A815	5310-271-4642	A744	5330-826-7348	A816
5305-059-3655	A354	5310-271-4644	A139	5340-074-2072	B389

SECTION III. INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO INDEX NUMBER (CONTINUED)

FEDERAL STOCK NUMBER	INDEX NO.	FEDERAL STOCK NUMBER	INDEX NO.	FEDERAL STOCK NUMBER	INDEX NO.
5340-089-4061	A376	5905-071-6594	B499	5930-655-1517	B233
5340-089-4062	A141	5905-171-1998	B501	5930-655-1581	B234
5340-089-4063	A387	5905-171-2004	B498	5930-655-1582	B232
5340-200-2691	B251	5905-171-2006	B505	5930-822-3337	A328
5340-200-2755	A747	5905-190-8880	B493	5930-832-6202	A540
5340-285-7729	B138	5905-190-8881	B507	5930-937-5352	B256
5340-286-2491	B510	5905-192-0660	B494	5935-026-9824	B446
5340-337-8642	A752	5905-195-2309	B230	5935-087-3127	B211
5340-543-3931	A222	5905-195-6791	B496	5935-087-4289	A960
5340-576-6502	B484	5905-249-4190	B203C	5935-087-4299	A932
5340-598-0383	A229	5905-254-9201	B495	5935-087-4300	A931
5340-664-2635	A214	5905-279-1733	B272	5935-087-4301	A933
5340-840-0954	A880	5905-279-1876	B503	5935-087-4964	A884
5340-954-5104	B338	5905-279-1890	B504	5935-087-4965	A999
5410-763-2339	A002	5905-279-3497	B502	5935-087-4984	B047
5805-089-4003	A297	5905-299-2020	B270	5935-087-4985	A909
5805-543-0012	B452	5910-082-4785	B481	5935-087-4986	A904
5815-067-8101	A148	5910-782-1975	B483	5935-087-4987	A936
5815-503-2760	B200	5910-890-9670	B205	5935-087-4988	A940
5815-503-2764	B196	5915-089-3274	A257	5935-087-4989	A788
5815-879-6191	A712	5915-089-3857	A271	5935-087-4990	A937
5815-919-4800	B195A	5915-688-3177	A160	5935-087-4991	A941
5815-926-7377	B305	5915-832-6318	A152	5935-087-4993	A899
5815-937-5973	B408	5915-933-1232	A733	5935-087-5027	A894
5815-937-6113	B204	5920-199-9498	A319	5935-087-5028	A889
5815-937-6146	B508A	5920-655-1154	A343	5935-087-5030	A915
5815-999-3048	B463	5920-727-1452	A318	5935-087-5031	A914
5815-999-5277	B195	5920-755-3656	A321	5935-087-5032	A922
5820-082-3491	B530A	5920-851-9476	A317	5935-087-5038	A923
5820-170-4781	B303	5920-902-4041	A210	5935-087-9084	A789
5820-170-5171	B529	5920-962-9874	A347	5935-089-3573	A140
5820-404-6885	B530	5925-815-3319	A315	5935-187-4502	A978
5820-788-4515	A001	5925-924-9578	A727	5935-192-4789	B409
5820-937-5530	B514	5930-519-8144	A609	5935-194-3079	B215
5820-937-5532	B509	5930-655-1514	A324	5935-201-3173	A457
5895-874-3428	A829	5930-655-1515	B273	5935-201-4323	B208

SECTION III. INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO INDEX NUMBER (CONTINUED)

FEDERAL STOCK NUMBER	INDEX NO.	FEDERAL STOCK NUMBER	INDEX NO.	FEDERAL STOCK NUMBER	INDEX NO.
5935-283-2950	A959	5935-993-1435	B318	5995-935-0396	A929
5935-283-4003	B064M	5940-204-8966	B193	5995-935-0397	A982
5935-578-3493	B117A	5940-204-9142	A765J	5995-935-2521	A993
5935-581-2889	A176	5940-223-5293	A212	5995-935-2534	A995
5935-581-4684	B508	5940-503-9995	A956	5995-935-2535	B043
5935-660-4296	B059	5940-557-1627	B037	5995-935-2536	B064S
5935-712-3152	B213	5940-557-1629	A887	5995-935-2537	B064A
5935-715-2756	B004	5940-557-4338	A989	5995-935-2538	B064N
5935-726-6519	A944	5940-557-4341	A990	5995-935-2539	B061C
5935-728-3804	A442	5940-557-4346	B016	5995-935-2540	B062
5935-729-5559	B323	5940-557-4398	A970	5995-935-2542	A921
5935-731-0139	B041	5940-577-3711	A957	5995-935-2545	A917
5935-755-3688	A740	5940-577-3807	A886	5995-935-2546	B061A
5935-761-3210	B212	5940-617-7860	A891	5995-937-0398	B028
5935-780-8149	B051	5940-644-8713	B033	5995-937-8048	A991
5935-803-1444	B313	5940-660-3634	A765H	5995-937-8458	B039
5935-805-4991	B032	5940-666-3357	A955	5995-937-8460	A946
5935-818-68[illegible]7	B036	5940-983-6098	A249	5995-937-8461	A935
5935-823-0487	B060	5945-823-2611	B225	5995-937-8462	A943
5935-827-6940	A735	5961-057-6014	B488	5995-937-8463	A958
5935-834-6220	A170	5961-752-5351	B472	5995-937-8464	A962
5935-901-0904	B214	5961-752-6121	B474	5995-937-8467	A939
5935-905-3738	B056	5961-852-7549	B477	5995-937-8613	B035
5935-912-9599	B282	5961-988-1290	B492	5995-937-8614	B025
5935-926-7439	B261	5975-089-3905	B442	5995-937-8616	A987
5935-926-7440	B262	5975-224-5260	B525	5995-937-8617	B031
5935-926-7441	B266	5975-475-2407	A832	5995-937-8620	A883
5935-926-7442	B267	5975-926-0611	A830	5995-937-8621	A888
5935-931-4207	B014	5985-937-6718	A124	5995-937-8622	A893
5935-951-2760	A930	5985-937-6719	A395	5995-937-8623	A898
5935-975-3931	B265	5995-089-4496	B443	5995-937-8624	A903
5935-982-6347	B260	5995-089-4497	B064D	5995-937-8625	A908
5935-985-4295	B064H	5995-912-5712	A885	5995-937-8626	A913
5935-990-5582	B283	5995-935-0248	B054	5995-937-8627	A925
5935-992-0309	B333	5995-935-0389	B058	5995-937-8628	A966
5935-992-0310	B328	5995-935-0393	B050	5995-937-8631	B013

SECTION III. INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO INDEX NUMBER (CONTINUED)

FEDERAL STOCK NUMBER	INDEX NO.
5995-937-8832	A952
5995-937-8833	A977
5995-937-8834	A787
5995-937-8841	A972
5995-937-8842	B003
5995-937-8843	A998
5995-937-8844	B009
6110-937-6439	A305
6125-617-1435	B381
6145-058-8564	A988
6145-265-6190	B015
6145-542-6092	B042
6145-660-8711	B053
6145-935-2556	A953
6145-935-2557	A967
6145-935-2558	A961
6145-935-2570	A934
6145-935-2571	A945
6145-935-2572	B048
6145-935-2573	A981
6145-935-2574	A790
6150-935-0257	B046
6210-023-7030	A349
6210-753-2834	A236
6210-813-8265	A342
6210-889-1732	A825
6210-892-5164	B235
6240-155-7836	A316
6240-155-8651	B462
6240-196-4519	B471
6625-643-1800	A323
6625-682-4464	B397
6645-557-0320	B393
7110-273-3962	B451
7230-937-7409	A546
7240-222-3088	B526
7240-935-3272	B527
REFERENCE NUMBER	INDEX NUMBER
ADCH-4W/SC-6	A488
AN6270-4-28	B527B
BVHC4-4-56	B527D
CH09A1MC224M	B480
CL36BQ010MN3	B482
CP05A1K04M	B479
D50	A455
EXP8-83	A485
GDE4001	A451A
G2110B	A828
G2115	A827
G3011	A831
G3046A	A833
G3046B	A834
G3089E	A835
JM4196	A449
KPA25	B049
LW1145-1-4	A147
LW1378-1-8-00	A553
MS17990C403	A146
MS17990C605	A377
MS20392-3C19	A436B
MS35335-60	A765T
MS35490-39	A745
MS87006-33	A487
R6735	A456
SC-C-446046	B522
SK998-1	B464
SK998-2	B465
SK998-3	B468
SM-B-500395-1	B017
SM-B-500395-2	B018
SM-B-602002-999	B194
SM-B-602964	A118
SM-B-602982	A265
SM-B-603000	B445
SM-B-603002-999	B061D
SM-B-603003-000	B064F
SM-B-603003-555	B064E
SM-B-603003-999	B064G
SM-B-603013	A037
SM-B-603031	A287
SM-B-603047	A293
SM-B-603053	A085
SM-B-603061	A527
SM-B-603063	A494
SM-B-603065	A202
SM-B-603066-1	A207
SM-B-603066-2	A756
SM-B-603067	A194
SM-B-603083	A286
SM-B-603143	A568
SM-B-603144	A567
SM-B-630149	B519
SM-B-603167	A520
SM-B-603222	A721
SM-B-603223	A722
SM-B-603224	A726
SM-B-603242	A198
SM-B-630267	A614
SM-B-603276	A547
SM-B-603278	A253
SM-B-603292	A602
SM-B-603340	A450
SM-B-603347	A261A
SM-B-603360-2	B064T
SM-B-603368	A414
SM-B-603402	A526
SM-B-603403	A533
SM-B-603404	A538

SECTION III. INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO INDEX NUMBER (CONTINUED)

REFERENCE NUMBER	INDEX NO.	REFERENCE NUMBER	INDEX NO.	REFERENCE NUMBER	INDEX NO.
SM-B-603406	A288	SM-C-502637	B447	SM-C-603184	A292
SM-B-603412	A465	SM-C-602961	B528	SM-C-603191	A236
SM-B-603413	A470	SM-C-602979	B437	SM-C-603195	A182
SM-B-603414	A475	SM-C-602981	A264	SM-C-603196	A238
SM-B-603415	A480	SM-C-603007	B436	SM-C-603211	A300
SM-B-603429	A360	SM-C-603008-1	A267	SM-C-603221	A717
SM-B-603436	A552	SM-C-603008-2	A268	SM-C-603237	A579
SM-B-603438-2	B064U	SM-C-603008-3	A269	SM-C-603266	A613
SM-B-603439	A549	SM-C-603008-4	A270	SM-C-603268	A618
SM-B-603537	A444	SM-C-603011	B242	SM-C-603290	A374
SM-B-603554	A565	SM-C-603012-1	A330	SM-C-603294	A597
SM-B-603564	A604	SM-C-603015-1	A042	SM-C-603295	A596
SM-B-603566	A110A	SM-C-603015-2	A046	SM-C-603322	A586
SM-B-603573	A826	SM-C-603016	A050	SM-C-603331	A460
SM-B-603582	A627	SM-C-603022	A350	SM-C-603332	A459
SM-B-603583	A629	SM-C-603033	A612	SM-C-603334	A462
SM-B-603584	A430	SM-C-603040	A060	SM-C-603359	A461
SM-B-603585	B106	SM-C-603041	A064	SM-C-603366	A415
SM-B-603587	B114	SM-C-603042	A111	SM-C-603371	A622
SM-B-603588	B118	SM-C-603043	A068	SM-C-603404	A630
SM-B-603589	B122	SM-C-603050	A076	SM-C-603405	A541
SM-B-603590	B126	SM-C-603051	A336	SM-C-603420	A390
SM-B-603591	B130	SM-C-603055	A122	SM-C-603440	A560
SM-B-603592	B134	SM-C-603060	B450	SM-C-603481	A704
SM-B-603593	A881	SM-C-603071	A106	SM-C-603482	A708
SM-B-603596	A836	SM-C-603073	A004	SM-C-603483	A700
SM-B-603602	A864	SM-C-603074	A009	SM-C-603495	A642
SM-B-603654	A427	SM-C-603076	A019	SM-C-603508	A675
SM-B-603680	B190	SM-C-603080	A027	SM-C-603509	A676
SM-B-603685	A261B	SM-C-603146	B192	SM-C-603526	A682
SM-B-603688	A431	SM-C-603163	A500	SM-C-603527	A683
SM-B-603695	A765A	SM-C-603164	A505	SM-C-603532	B309
SM-B-603696	A765K	SM-C-603165	A510	SM-C-603549	A765
SM-B-603697	B110	SM-C-603166	A515	SM-C-603556	A548
SM-B-603699	B203A	SM-C-603168	A524	SM-C-603568	A441
SM-B-603738	A765S	SM-C-603170	A032	SM-C-603571	A486

REFERENCE NUMBER	INDEX NO.
SM-C-603575	B077
SM-C-603576	B081
SM-C-603577	B084
SM-C-603578	B089
SM-C-603579	B093
SM-C-603580	B098
SM-C-603581	B102
SM-C-603597	A841
SM-C-603598	A846
SM-C-603599	A850
SM-C-603600	A855
SM-C-603601	A859
SM-C-603605	A873
SM-C-603608	A791
SM-C-603609	A796
SM-C-603610	A801
SM-C-603611	A806
SM-C-603612	A820
SM-C-603613	A819
SM-C-603614	A818
SM-C-603616	A777
SM-C-603630	B460
SM-C-603633-1	B148
SM-C-603633-2	B150
SM-C-603633-3	B152
SM-C-603633-4	B154
SM-C-603633-6	B157
SM-C-603633-7	B159
SM-C-603633-8	B161
SM-C-603633-9	B163
SM-C-603633-10	B165
SM-C-603633-11	B167
SM-C-603633-12	B169
SM-C-603633-13	B171
SM-C-603633-14	B173
SM-C-603633-15	B175
SM-C-603633-16	B177
SM-C-603633-17	B179
SM-C-603633-18	B181
SM-C-603633-19	B183
SM-C-603633-20	B185
SM-C-603633-21	B187
SM-C-603635-1	B065
SM-C-603635-2	B067
SM-C-603635-3	B069
SM-C-603635-4	B071
SM-C-603635-5	B073
SM-C-603635-6	B075
SM-C-603635-7	B143
SM-C-603635-8	B145
SM-C-603653	A382A
SM-C-603655	A868
SM-C-603657	A610
SM-C-603659	A458
SM-C-603664-8	B083
SM-C-603664-10	B088
SM-C-603664-11	B087
SM-C-603664-14	B080
SM-C-603731	A389A
SM-D-602962	A243
SM-D-602978	A117
SM-D-602983	A263
SM-D-602984	A262
SM-D-603004	A129
SM-D-603017	B238
SM-D-603020	B237
SM-D-603028	A054
SM-D-603046	A279
SM-D-603054	A090
SM-D-603064	A096
SM-D-603068	A186
SM-D-603069	A190
SM-D-603070	A101
SM-D-603075	A014
SM-D-603082	A123
SM-D-603085	A024
SM-D-603097	B306
SM-D-603098	B307
SM-D-603157	A310
SM-D-603158	A356
SM-D-603162	A499
SM-D-603177	B277
SM-D-603179	B278
SM-D-603182	A177
SM-D-603192	A237
SM-D-603194	A178
SM-D-603208	A299
SM-D-603219	A716
SM-D-603240	A578
SM-D-603241	A574
SM-D-603271	A878
SM-D-603287	A369
SM-D-603288	A373
SM-D-603291	A365
SM-D-603319	A585
SM-D-603320	A581
SM-D-603362	A383
SM-D-603363	A419
SM-D-603364	A379
SM-D-603365	A423
SM-D-603397	A113
SM-D-603400	A532
SM-D-603408	A590
SM-D-603480	A655
SM-D-603494	A631

SECTION III. INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO INDEX NUMBER (CONTINUED)

REFERENCE NUMBER	INDEX NO.	REFERENCE NUMBER	INDEX NO.	REFERENCE NUMBER	INDEX NO.
SM-D-603497	A641				
SM-D-603501	A490				
SM-D-603505	A677				
SM-D-603506	A670				
SM-D-603507	A665				
SM-D-603510	A650				
SM-D-603511	A649				
SM-D-603525	A636				
SM-D-603555	A239				
SM-D-603603	A879				
SM-D-603615	A811				
SM-D-603686	A436A				
SM-D-603691	A436				
S2385	B527A				
YAEV2C1MOD	B521				
181	A824				
25SP04	A781				
322218	B109C				
324169	A261A				
46X4A(4X4)	B527C				
49X6	A782				
5025	B113A				
5079	A765G				
53-17-710-24	B308				
756-10T39-208A	B284				

SECTION IV. INDEX-REFERENCE DESIGNATION CROSS REFERENCE TO INDEX NUMBER

REFERENCE DESIGNATION	INDEX NO.
C1	B205
C1a	B479
C2	B206
C2a	B480
C3	B481
C4	B482
C5	B483
CB1	A315
CB1a	A727
CB2	A730
CR1	B472
CR2	B473
CR3	B474
CR4	B475
CR5	B476
CR6	B477
CR7	B478
DS1	B207
DS1a	A316
E1	B313
E2	B318
E2a	B356
E3	B323
E3a	B361
E21 thru E30	A210
F1	A317
F2	A318
F3	A319
F4	A320
F5	A321
F6	A322
FL1	A152
FL1a	A733
FL2	A734
FL3	A160
FL4	A161
FL5	A162
FL6	A163
FL7	A164
FL8	A165
FL9	A166
FL10	A167
FL11	A168
FL12	A169
J1	A170
J1a	B208
J1b	B260
J1c	B328
J1d	B366
J1e	B409
J1f	B484
J2	A740
J2a	B209
J2b	B261
J2c	B333
J2d	B371
J2e	B411
J3	B210
J3a	B262
J3b	B413
J4	B211
J4a	B263
J4b	B415
J5	B212
J5a	B264
J5b	B417
J6	B213
J6a	B265
J6b	B419
J7	B214
J7a	B266
J7b	B421
J8	B215
J8a	B267
J8b	B423
J9	B215
J9a	B268
J9b	B425
J10	B269
J10a	B427
J11	B429
J12	B431
J13	B433
K1	B225
M1	A323
P1	B444
P2	B485
Q1	B488
Q2	B489
Q3	B490
Q4	B491
Q5	B492
R1	B230
R1a	B270
R1b	B493
R2	B231
R2a	B271
R2b	B494
R3	B272
R3a	B495
R4	B496
R5	B497
R6	B498
R7	B499
R9	B501
R10	B502
R11	B503
R12	B504
R13	B505
R14	B504
R15	B507
S1	A324
S1a	A540

SECTION IV. INDEX-REFERENCE DESIGNATION CROSS REFERENCE TO INDEX NUMBER (CONTINUED)

REFERENCE DESIGNATION	INDEX NO.	REFERENCE DESIGNATION	INDEX NO.	REFERENCE DESIGNATION	INDEX NO.
S1b	B232	W10P1	A926	W30	B009
S1c	B273	W10P2	A927	W30P1	B010
S1d	B434	W11	A946	W31	B013
S1e	B508	W11P1	A947	W31P1	B014
S2	A325	W12	A929	W32	B019
S2a	A540A	W12P1	A930	W32P1	B020
S2b	B233	W13	A935	W33	B025
S2c	B274	W13P1	A936	W34	B028
S3	A326	W13P2	A937	W25	B031
S3a	B234	W14	A939	W35P1	B032
S3b	B275	W14P1	A940	W36	B035
S4	A327	W14P2	A941	W36P1	B036
S5	A328	W15	A943	W37	B043
S6	A329	W15P1	A944	W38	B039
TB1	A330	W16	A952	W38P1	B040
TB2	A336	W17	A958	W38P2	B041
W1	A883	W17P1	A959	W39	B046
W1P1	A884	W17P2	A960	W39P1	B047
W2	A888	W18	A962	W40	B050
W2P1	A889	W18P1	A963	W40P1	B051
W3	A893	W18P2	A964	W40P2	B052
W3P1	A894	W19	A966	W41	B054
W4	A898	W20	A787	W41P1	B055
W4P1	A899	W20P1	A788	W41P2	B056
W5	A903	W20P2	A789	W42	B058
W5P1	A904	W21	A972	W42P1	B059
W6	A908	W22	A977	W42P2	B060
W6P1	A909	W22P1	A978	W43	B061A
W7	A913	W23	A982	W44	B061C
W7P1	A914	W23P1	A983	W45	B062
W7P2	A915	W24	A987	W46	B064A
W8	A917	W25	A991	W47	B064D
W8P1	A918	W26	A993	W48	B064N
W8P2	A919	W27	A995	W49	B064S
W9	A921	W28	A998	XDS1	A342
W9P1	A922	W28P1	A999	XDS1a	B235
W9P2	A923	W29	B003	XDS1b	A236
W10	A925	W29P1	B004	XF1	A343

SECTION IV. INDEX-REFERENCE DESIGNATION CROSS REFERENCE TO INDEX NUMBER (CONTINUED)

REFERENCE DESIGNATION	INDEX NO.	REFERENCE DESIGNATION	INDEX NO.	REFERENCE DESIGNATION	INDEX NO.
XF2	A344				
XF3	A345				
XF4	A346				
XF5	A347				
XF6	A348				

By Order of the Secretary of the Army:

HAROLD K. JOHNSON,
General, United States Army,
Chief of Staff.

Official:

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

Distribution:

To be distributed in accordance with DA Form 12–51 requirements for Direct and General Support maintenance, AN/GRC–122 and AN/GRC–142 Radio Teletypewriter sets.

☆ U. S. GOVERNMENT PRINTING OFFICE : 1973 O - 540-802 (5271A)